

# LifeBook T2010 Tablet PC

*Weighing a mere 3.52 pounds yet boasting a 12.1 inch display, the ultra-thin, ultra-light Fujitsu T2010 Tablet PC is an ideal notebook and tablet PC for those on the go. You no longer have to sacrifice a large display to save weight. At home, in the boardroom as well as the classroom, it quickly converts from notebook to tablet by simply twisting the display at its bi-directional swivel hinge. With a high-capacity battery life of up to 11 hours, this no-nonsense tablet PC works as hard as you do.*

## BENEFITS

### Product Versatility

The LifeBook T2010 Tablet PC is not only perfect for project-based users that require the power of inking or easy pen-driven navigation, but also for mobile professionals who must have a keyboard as well. Taking advantage of the bi-directional swivel hinge, you can easily transform this ultra-thin notebook into a tablet configuration by rotating (in either direction) and folding the screen. Collect data efficiently and accurately using the stylus to make handwritten notes and drawings with digital ink. To enter data using the keyboard, tilt up and rotate the screen (follow the arrow indicator) to a notebook configuration. The stylus and active digitizer continue to work in the notebook configuration.

### Mobile Productivity

The 12.1" wide XGA TFT indoor/outdoor display with active digitizer perfectly fits your business or scholastic needs. With Intel<sup>®</sup> Centrino<sup>®</sup> Duo Mobile Technology, power-saving features and enhanced functionality of Genuine Windows XP Tablet PC Edition or Windows Vista<sup>®</sup> Business, the LifeBook T2010 Tablet PC delivers mobility, convenience, and increased productivity. While on the go, use the stylus to easily navigate forms-based or menu-driven applications. Use the powerful inking capabilities to take notes or capture a signature, then easily convert your handwritten notes into text. When you return to your home-base, use the keyboard in standard notebook mode to incorporate your notes into a business proposal or easily read classroom notes.

### Boundless Connectivity

Connect to your office or campus network, or the Internet with modem, Gigabit Ethernet, the latest Intel Wireless WiFi Link 4965AGN (802.11 a/b/g/draft-n) for lightning fast

Internet connectivity to minimize downtime, or the optional Atheros Super AG<sup>®</sup> wireless LAN provides up to 5X throughput improvement over the traditional 802.11b connection. The LifeBook T2010 Tablet PC comes equipped with diversity antennas mounted in the display panel to achieve high data transfer rates and strong connection reliability. If you use a Bluetooth-enabled cellular phone or PDA, your LifeBook T2010 Tablet PC can be equipped with integrated Bluetooth (version 2.0) wireless technology for data synchronization and swapping images.

### Maximum Usability

The LifeBook T2010 Tablet PC was designed for highly mobile professionals or students who want a very light, ultra-thin, computer yet have the convenience of a 12.1" wide XGA display; The optional enhanced indoor/outdoor display is ideal for users who also need productivity in an outdoor environment. Use it in notebook mode or in tablet mode, as your needs dictate. Its wide array of ports allows you to connect a plethora of peripherals directly to your computer. All of this functionality comes in a tablet PC that weighs as little as 3.52 lbs. The optional high-capacity battery provides all-day computing to ensure you get your work done uninterrupted.

### Uncompromised Security

The T2010 notebook provides extensive security features. These features include: an integrated fingerprint sensor, a security panel, TPM, a dedicated Smart Card slot, BIOS and HDD password protection, and embedded BIOS support for Computrace theft-protection software, it easily protects corporate data on the local hard drive and on the network.



## OVERVIEW

- Flexible convertible form factor for type or pen input
- Brilliant 12.1" wide indoor or indoor/outdoor display with active digitizer
- One of the lightest 12.1" wide tablet PCs at 3.52 lbs.
- Maximize productivity with all day computing via the high-capacity battery
- 802.11n for greater WLAN range and throughput
- Comprehensive security features make it flexible enough to fit into any corporate environment—regardless of what security policies your corporation may have

<b>Operating Systems Software</b>	Genuine Windows® XP Tablet PC Edition 2005 or Genuine Windows Vista® Business
<b>Optional Software</b>	Microsoft® Office OneNote® 2007, Microsoft® Experience Pack for Tablet PC (XP Tablet PC Edition only), Google Desktop, Adobe® Reader®, Norton Internet Security <sup>1</sup> , EverNote Plus, Fujitsu Display Controls, Fujitsu HotKey Utility, Fujitsu Security Application Panel, Fujitsu Driver Update Utility, Softex OmniPass Fingerprint Utility, Shock Sensor Utility, TPM Drivers and Application CD
	Depending on your system configuration, you may also receive the following: Microsoft® Office Small Business Edition 2007, Bluetooth Utility Docking station may come with the following application: CyberLink PowerDVD™, Roxio Easy Media Creator, CyberLink PowerProducer™
	Note: Microsoft® Office applications require product activation

## Key Specifications

<b>Processor</b>	Intel® Core™ 2 Duo Processor Ultra Low Voltage U7600 (1.2 GHz, 2 MB L2 cache, 533 MHz FSB), or Intel® Core™ 2 Duo Processor Ultra Low Voltage U7500 (1.06 GHz) – on select fixed configurations						
<b>Chipset</b>	Intel® 965GM + ICH8M						
<b>Memory</b>	Two DIMM slots; max. 4 GB, (actual 3.24 GB) 200-pin SO-DIMM, DDR2 533 MHz with dual channel support  Note: Minimum of 1 GB of system memory is required when choosing Genuine Windows Vista® Business						
<b>Intel® Turbo Memory</b>	Optional 1 GB of Intel® Turbo Memory (factory installed option) for Genuine Windows Vista® platform only Support for Windows® ReadyDrive™ and Windows® ReadyBoost™ features (Available after August 2007) for Genuine Windows Vista® platform only						
<b>Display</b>	<table border="1"> <tr> <td>LCD</td> <td>12.1" WXGA TFT LED back-lit enhanced indoor display with wide viewing angles; Bi-directional hinge; 0.204 dot pitch, &gt; 220 nits brightness Optional: 12.1" WXGA indoor/outdoor display with anti-reflective coating</td> </tr> <tr> <td>Video Controller</td> <td>Mobile Intel® GMA X3100 with Intel® Clear Video Technology enabling DX10 and MPEG-2; Dynamic Video Memory Technology (DVMT) responds to application requirements and efficiently allocates the proper amount of system memory (up to 384 MB) for optimal graphics and system performance.</td> </tr> <tr> <td>Resolution</td> <td>Maximum internal display resolution: 1280 x 800, 16M colors; external monitor resolution: 1600x1200, 16M colors; simultaneous display resolution: 1280 x 800</td> </tr> </table>	LCD	12.1" WXGA TFT LED back-lit enhanced indoor display with wide viewing angles; Bi-directional hinge; 0.204 dot pitch, > 220 nits brightness Optional: 12.1" WXGA indoor/outdoor display with anti-reflective coating	Video Controller	Mobile Intel® GMA X3100 with Intel® Clear Video Technology enabling DX10 and MPEG-2; Dynamic Video Memory Technology (DVMT) responds to application requirements and efficiently allocates the proper amount of system memory (up to 384 MB) for optimal graphics and system performance.	Resolution	Maximum internal display resolution: 1280 x 800, 16M colors; external monitor resolution: 1600x1200, 16M colors; simultaneous display resolution: 1280 x 800
LCD	12.1" WXGA TFT LED back-lit enhanced indoor display with wide viewing angles; Bi-directional hinge; 0.204 dot pitch, > 220 nits brightness Optional: 12.1" WXGA indoor/outdoor display with anti-reflective coating						
Video Controller	Mobile Intel® GMA X3100 with Intel® Clear Video Technology enabling DX10 and MPEG-2; Dynamic Video Memory Technology (DVMT) responds to application requirements and efficiently allocates the proper amount of system memory (up to 384 MB) for optimal graphics and system performance.						
Resolution	Maximum internal display resolution: 1280 x 800, 16M colors; external monitor resolution: 1600x1200, 16M colors; simultaneous display resolution: 1280 x 800						
<b>Digitizer</b>	Electromagnetic (Active)						
<b>Hard Drive<sup>2</sup></b>	160 GB, 120 GB, 100 GB, 80 GB, 60 GB; 5400 rpm; Serial-ATA 150; shock-mounted; two-level password protection; Shock Sensor Utility locks the hard drive when detecting sudden impact, freefall, or vibration (may have to install this application separately). SSD 32 GB also available						
<b>Optical Drive</b>	NA						
<b>Audio</b>	Realtek ALC262 AC'97-compliant codec with 20-bit audio; built-in dual array digital microphones						
<b>Communication</b>	Multinational 56k <sup>3</sup> V.90 <sup>4</sup> modem and 10/100/1000 Gigabit Ethernet LAN						
<b>Wireless Communication</b>	Intel® Wireless WiFi Link 4965AGN (802.11a/b/g/draft-n) or Atheros Super AG® Wireless LAN (802.11a/b/g); Wi-Fi® certified; dual diversity antennas. Optional Bluetooth (v2.0) Personal Area Network (PAN) for file transfer and data synchronization with other Bluetooth devices						
<b>User Interface</b>	84-key spill-resistant keyboard; 19 mm key pitch, 3 mm key stroke with Point Stick						
<b>Ports</b>	Two USB 2.0, IEEE 1394, External monitor/VGA, modem (RJ-11) on select models, Gigabit Ethernet (RJ-45), docking connector, headphone/line-out jack, and microphone/line-in jack						
<b>Card Slots</b>	One Type I/II PCMCIA slot, 32-bit PC CardBus architecture One Smart Card slot; One shared slot for Memory Stick®, Memory Stick PRO™, or Secure Digital (SD) card						
<b>Security</b>	LifeBook Application/Security panel AuthenTec Fingerprint Sensor with TruePrint Technology; 15cm/sec slide speed Trusted Platform Module (TPM), TCG 1.2-compliant Dedicated Smart Card slot Hard drive and BIOS passwords BIOS support for Computrace/LoJack theft recovery system (Service required) Security lock slot						
<b>Docking Station</b>	Optional; 4x USB 2.0, Ethernet, VGA, DVI, line-out, DC, power/suspend/resume button, docking lock slot, system and docking combo lock slot; Optional DVD/CD-RW combo drive or dual-layer multi-format DVD writer (fixed bay)						
<b>Battery<sup>5</sup></b>	Main Lithium ion 6-cell battery (10.8V, 5800 mAh, 62.6 WHr), rated up to 9 hours Optional high-capacity Lithium ion 9-cell battery (10.8V, 8700 mAh, 93.9 WHr), rated up to 11 hours						
<b>AC Adapter</b>	Autosensing 100-240V AC, 60Wh, supplying 16V DC, 3.75A						
<b>Dimensions/Weight</b>	11.9" x 8.8" x 1.36"; approx. 3.52 lbs. with 6-cell battery; Additional 0.32 lbs. with 9-cell battery						
<b>Operating Temperature</b>	41°F to 95°F/5°C to 35°C (ambient temperature); 20% to 85% relative humidity, non-condensing						
<b>Non-Operating Temperature</b>	5°F to 140°F/-15°C to 60°C, 8% to 85% relative humidity, non-condensing						
<b>Key Accessories</b>	For a full list of accessories, visit <a href="http://www.shopfujitsu.com">www.shopfujitsu.com</a> or call 1-800-FUJITSU						

## Compliance and Service Information

<b>Compliance</b>	FCC Part 15B Class B, and FCC Part 15C, and FCC Part 15E; IC ICES-003 Class B and RSS-210 UL-cUL Listed FCC Part 68; IC CS-03 CE Marking (Not supported when configured with the WLAN module)
<b>Warranty<sup>6</sup></b>	One or three-year International Limited Warranty on select corporate configurations; 24/7 technical support; Fujitsu extended service plans available.

**HOWARD™**  
TECHNOLOGY SOLUTIONS

888.912.3151  
601.399.5077 (fax)  
[www.Howard.com](http://www.Howard.com)

- 1) Preinstalled with a free 90-day trial version of Symantec Norton Internet Security 2007. The 90-day trial version is activated upon user's acceptance of software license agreement. After 90 days, the user must purchase a subscription from Symantec to download latest virus definitions.
- 2) One gigabyte (GB) = one billion bytes; accessible capacity will be less and actual capacity depends on the operating environment and formatting.
- 3) The internal modems on all Fujitsu mobile computers from Fujitsu Computer Systems Corporation are only qualified for use with telephone systems in selected countries, including the United States and Canada. For a list of certified countries, please check <http://www.computers.us.fujitsu.com/modems>.
- 4) Actual speeds over U.S. telephone lines vary, and are less than 56 Kbps due to the current FCC regulations and line conditions.
- 5) Battery life estimates reflect the results of BAPCo MobileMark2005 Productivity Workloads performed upon systems with battery life setting enabled on Windows® XP operating systems. Actual battery life will vary based on screen brightness, applications used, features selected, power management settings, battery conditioning, and other customer preferences. DVD/CD-RW, DVD Writer, LAN, wireless LAN or hard drive usage may also have a significant impact on battery life.
- 6) Service and warranty turnaround time may vary by country and product. The International warranty is only valid for products purchased in North, Central, and South America.

Fujitsu, the Fujitsu logo, and LifeBook are registered trademarks of Fujitsu Limited. Genuine Windows Vista, Microsoft, Windows, ReadyDrive and ReadyBoost are registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Centrino, Intel, Intel Core, the Centrino logo and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Atheros, the Atheros logo and Super AG are all registered trademarks of Atheros Communications. Memory Stick is a registered trademark and Memory Stick PRO is a trademark of Sony Corporation and/or its affiliates. Adobe Reader is a registered trademark of Adobe Systems, Inc. Wi-Fi is a trademark of the Wireless Ethernet Compatibility Alliance (WECA). Norton AntiVirus is a registered trademark of Symantec Corporation. All other trademarks mentioned herein are the property of their respective owners. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

©2007 Fujitsu Computer Systems Corporation.  
All rights reserved. FPC58-1711-02 8/07.  
07.8971

**FUJITSU**

