



# SCOREBOARDS & DISPLAY PRODUCTS

# 2016



**HOWARD**edu

888.912.3151 | howardedu.com



**DAKTRONICS**

# EXTREME PRODUCT TESTING

"Lightning had hit our original scoreboard and caused major problems. Daktronics was great with how they handled the service on the board, which is why we keep going back."

Jim Slaughter  
Retired Athletic Director  
San Angelo ISD  
San Angelo, Texas

Daktronics state-of-the-art product reliability lab provides our engineers the information needed to design and build tough-rated products made from high quality parts. Since 2009, we continue to use a wide variety of systems and testing equipment, some similar to those used by the automobile and aerospace industries, ensuring the longevity of our products. For detailed statistics on our reliability lab, visit [Daktronics.com/productreliability](http://Daktronics.com/productreliability).



## ENVIRONMENTAL SIMULATOR

Our lab technicians place entire video boards through this massive 4,500 cubic foot chamber to test its durability through blistering heat, freezing temperatures and humidity.



## HIGHLY ACCELERATED LIFE TESTING

Combining environmental variables, such as temperature shock and vibration, stresses the product to the point of failure to determine the product's functioning limits.

We invite you to tour our lab or go to [daktronics.com/productreliability](http://daktronics.com/productreliability)



## WATER INTRUSION

High-pressure water jets drench displays to test how well enclosures protect internal components and ensure performance against moisture.



## SALT FOG

A 5% salt solution and sweltering heat up to 95° F (35° C) gauge a display's ability to withstand the corrosive effects of coastal air.


# WEATHER-SEALED OUTDOOR DIGITS

Don't let corrosion bring your scoreboard down on game day. Daktronics weather-sealed digits have a 1/8 inch (3mm) layer of weather-tight silicone gel applied to the front and back of the digits. This gel completely seals out moisture creating an unmatched resistance to the harshest of conditions.

This weather-seal significantly increases reliability and product performance. No other LED scoreboard manufacturer offers this kind of protection. Stay ahead of the game—and corrosion—with Daktronics weather-sealed digits.

"I wanted to match the old-school feel of the ballpark similar to the old, white bulb lights. With the white LEDs, it looks like a million bucks."

Chad Shepherd  
Marshall Gates Foundation  
Kearns High School  
Kearns, Utah



### CONFORMAL COATING

A thin layer on the front and back gives minimal environmental protection.

### DAKTRONICS GEL COATING

A thick layer of gel adhered to the front and back of the digit completely seals out moisture.

## PANAVIEW® DIGITS

White LED digits are a rising trend for outdoor scoreboards. White will complement any team color and can be used to create a modern, fresh-looking display.



White



Amber



Red

Daktronics PanaView® digits fully use the specific cone of light emitted by LEDs. This produces wider viewing angles and a brighter appearance than other LED digits. These digits are available in amber, red or white.




To further customize the scoreboard, mix and match digit colors within one display. Clock digits can be red, while the score and stat digits are amber. This icon appears by scoreboards that are mixed digit capable.

# INDOOR DIGITS

## COLORSMART® COLOR-CHANGING DIGITS

Daktronics patented ColorSmart® digits respond to the ever-changing events of the game. ColorSmart LED technology follows the game's events by changing colors between red, amber and green according to which team is ahead and whether the game clock is stopped, running or under one minute.

 This icon appears by the scoreboards that are upgradeable with ColorSmart digit technology.



Game clock running and home team ahead shows green



Game clock stopped and home team behind shows red



Game clock under 1 minute and teams tied shows amber



Game clock stopped shows red and home team ahead shows green

White LED digits are now available for indoor scoreboards.



## PANAVIEW® DIGITS

White will complement any team color and can be used to create a modern, fresh-looking display.

Daktronics PanaView® digits are robust and strong, specially designed for Daktronics Tuff Sport® scoreboards. They offer every money-saving advantage of LED technology and provide an outstanding viewing angle, outshining previous LED technologies.



## UNIVIEW® DIGITS

Daktronics exclusive, patented UniView® digits provide the advantages of LED technology while retaining a clean, sleek "bar" look. This digit uses a specially designed diffuser to promote a uniform flow and dramatically increases the viewing angle of the scoreboard.

# SCOREBOARD PERSONALIZATION



## THE MOST COLOR OPTIONS IN THE INDUSTRY

Daktronics is the only company providing more than 150 color choices at no additional charge. Regardless of the color, Daktronics offers high-quality, long-lasting display finishes designed to resist fading due to ultraviolet rays.

All Daktronics scoreboard paints and primers are lead-free and chromate-free, which makes the paint safer for the environment.

For more specific information on scoreboard color options, please request the Daktronics Scoreboard Paint Color brochure.



## TEAM NAME MESSAGE CENTERS

Daktronics Team Name Message Centers, (TNMCs) are available for most indoor and outdoor scoreboard models and are excellent for tournaments and multi-school facilities. TNMCs feature cost-efficient LED technology and enable operators to display names of home and guest teams. Add a TNMC to most existing scoreboards with a retrofit kit.



Double-stroke



Single-stroke



## TEAM NAME

Change the HOME caption of the scoreboard to your school's mascot or team name.

## COLORED CAPTIONS

Select colored captions for the scoreboard to match the striping and school colors. Outlined captions are available for an additional fee.

## STRIPING

Add striping to a scoreboard to coordinate with school colors. Choose from more than 50 colors.

# DISPLAYS AND TIMING SYSTEMS

Kirkwood High School, Kirkwood, Missouri  
160x288-10, SSN-150, DA-1500



## VIDEO AND MESSAGING DISPLAYS

- › Crisp, clear messages or video with numerous event results configurations
- › Generate revenue through sponsorship
- › Promote future events
- › Wide range of models available for any budget and facility



## WEATHER-SEALED DIGITS


Daktronics weather-sealed digits have a 1/8 inch (3mm) layer of weather-tight silicone gel applied to the front and back of the digits. This gel completely seals out moisture creating an unmatched resistance in indoor or outdoor pool environments.




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

For more information on  
Daktronics aquatics products, visit  
[daktronics.com/aquaticsbrochure](http://daktronics.com/aquaticsbrochure)


Tualatin High School Tualatin, Oregon  
WVP2101



SW-2218 swimming mode



SW-2218 water polo mode



SW-2218 diving mode

**SW-2218**

Digit size: 10" 254mm  
H: 5'-10" 1778mm W: 18' 5486mm D: 6" 152mm

- › Score diving, swimming, water polo and synchronized diving/swimming in your indoor or outdoor facility
- › Select all amber, all red or alternating rows of amber and red digit colors
- › Available for indoor or outdoor use

**TIMING EQUIPMENT**

**HS-200 HORN START**

- › Signal start tones and make announcements loudly and clearly
- › Optional wireless microphone to allow for freedom of movement

**T-7000 SERIES TOUCHPADS**

- › Record each leg of the race with these highly sensitive, yet durable, touchpads


**PRO SWIMMING SOFTWARE**

- › Interfaces with Hy-Tek™ Meet Manager software to request data directly
- › Facilities with multiple events can easily identify which console is connected with Ethernet connectivity

Daktronics is the only timing company to offer total Ethernet connectivity.



HS-200 Horn Start



T-7000 series touchpads

























Gladwin High School Gladwin, Michigan BA-2026, 64x144.20, DA-1001

# BASEBALL & SOFTBALL SCOREBOARDS

From local ballparks to major league stadiums across the country, Daktronics has the right products for each level of play. The main scoreboard provides vital information such as At Bat, Hit/Error, Pitch Count and Time, while the scoreboard enhancements make the most impact, giving your fans the ultimate game-day experience.

-  **LOGO/SPONSOR PANELS** Identify the facility and recognize sponsors
-  **STRIPING** Choose from 50+ colors to outline your scoreboard
-  **CAPTION COLOR** Select from 50+ colors of vinyl captions
-  **RADIO CONTROL** Increase control flexibility, reduce installation costs
-  **TEAM NAME CAPTION** Showcase a custom home team name
-  **TEAM NAME MESSAGE CENTERS (TNMC)** Personalize team names
-  **BACKLIT CAPTIONS** Improve readability for nighttime viewing
-  **ELECTRONIC CAPTIONS** Switch sports modes with the touch of a button
-  **MESSAGE DISPLAYS** Boost excitement with vivid animations and stats
-  **VIDEO DISPLAYS** Entertain and inform fans with live, full-color video

-  **RED PANAVIEW® DIGITS** Excellent digit readability
-  **AMBER PANAVIEW DIGITS** Complement school colors
-  **WHITE PANAVIEW DIGITS** Provide maximum brightness
-  **MIXED DIGIT COLORS** Vary the game and team digit colors
-  **ACCENTS** Add detail and interest to the scoring display
-  **DAKTRONICS AUDIO** Bring superior sound quality to your facility
-  **HORN** Trigger automatically or manually as needed
-  **INDIVIDUAL DIGIT SCREENS** Protect each digit
-  **NETTING** Protect the entire display from ball impacts
-  **SOLAR POWER** Power the scoreboard with solar energy




## WHAT MAKES DAKTRONICS DIFFERENT?



### WHITE LED DIGITS

Our white LED digit upgrade option creates a modern, fresh-looking display and complements any team color.



### SCOREBOARD CLAMPING


Eliminate the need to drill into steel or weld with our supplied aluminum clamp-style mounting brackets.



### WEATHER SEALED DIGITS

Weather-sealed digits and scoreboard drivers ensure durability and long life.

## INTEGRATING YOUR SYSTEM



### MESSAGE DISPLAYS

- › Excite fans using crowd prompts and team animations
- › Showcase athletes using headshots and player stats
- › Provide informative game statistics
- › Generate revenue through sponsorships



### VIDEO DISPLAYS

- › All of the benefits of a message display
- › Live play-by-play of game action
- › Instant replay of major game events
- › Fan cams immerse your audience into the action



CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

## 10-INNING LINE SCORE WITH PITCH SPEED

Track 10 innings worth of action, including total Runs, Hits and Errors for each team, and catch every blazing fastball with a 100+ MPH speed of pitch display.

Billericay Park Fishers, Indiana  
BA-2027



TIME	AT BAT	BALL	STRIKE	OUT	PITCH SPEED								
3:04	41	2	1	1	85								
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

### BA-2029

Digit size: 24" 610mm, 18" 457mm  
H: 9'-4" 2845mm W: 36' 10973mm D: 8" 203mm

- › Display Time of Day or game clock along with batter number
- › Experience the most complete baseball scoring solution

KPH	PITCH COUNT AT BAT												
MPH	BALL	STRIKE	OUT	H/E									
85	2	1	1	H									
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

### BA-2028

Digit size: 24" 610mm, 18" 457mm  
H: 9'-4" 2845mm W: 36' 10973mm D: 8" 203mm

- › Choose At Bat, Hit/Error or Pitch Count caption
- › Make your pitcher the star of the show by displaying pitch speed

KPH	PITCH COUNT AT BAT												
MPH	BALL	STRIKE	OUT	H/E									
85	2	1	1	H									
DAKTRONICS													
	1	2	3	4	5	6	7	8	9	10	RUNS	HITS	ERR
GUEST	1	0	0	0	0	1	0	0	0	0	2	4	1
HOME	0	0	2	0	1	3	0	0	0	0	6	12	0

### BA-2127

Digit size: 18" 457mm, 15" 381mm  
H: 7' 2134mm W: 25' 7620mm D: 8" 203mm

- › Choose At Bat, Hit/Error or Pitch Count caption
- › Display the same stats of the BA-2028 in smaller form



### PITCH SPEED

To display pitch speed, you'll need a radar gun system. Required for all scoreboards on this page and smaller pitch speed displays, the system uses a radar gun connected to an All Sport® 5000 controller to offer fans instant, accurate feedback on the speed of every pitch.




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## 10-INNING LINE SCORE

Give a personal touch to your 10-inning scoreboard by selecting from numerous caption combinations to match your preferences.


Heras Field Bozeman, Montana  
BA-2026



### BA-2026

Digit size: 24" 610mm, 18" 457mm  
H: 9'-4" 2845mm W: 36' 10973mm D: 8" 203mm


- › Choose from At Bat, Hit/Error, Pitch Count or Time captions
- › Large size and bold digits make this a popular seller



### BA-2125

Digit size: 18" 457mm, 15" 381mm  
H: 7' 2134mm W: 25' 7620mm D: 8" 203mm

- › Choose from At Bat, Hit/Error, Pitch Count or Time captions
- › Display the same stats as the BA-2026 in smaller form



### BA-2019

Digit size: 15" 381mm, 10" 254mm  
H: 6' 1829mm W: 20' 6096mm D: 8" 203mm

- › Choose from At Bat, Hit/Error, Pitch Count or Time caption
- › Get the most game information in the least amount of space

### DID YOU KNOW?



Look for this icon to see if the scoreboard can accommodate mixed digits. Display Ball, Strike, Out and Total Runs in a different LED color.



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

Navasota High School | Navasota, Texas  
BA-2030, DA-1001



## 7-9 INNING LINE SCORE

Choose the number of innings that meets the needs of your league. Track runs for the top and bottom of every inning as well as total team score.

<b>DAKTRONICS</b>	<b>BALL 2</b>		<b>STRIKE 1</b>		<b>OUT 1</b>				<b>DAKTRONICS</b>	
	1	2	3	4	5	6	7	8	9	<b>RUNS</b>
<b>GUEST</b>	1	0	0	0	0	1	0	0	0	2
<b>HOME</b>	0	0	2	0	1	3	0	0		6

### BA-2030 ● 8

Digit size: 18" 457mm, 15" 381mm  
H: 6'-6" 1981mm W: 20' 6096mm D: 8" 203mm

- › Showcase 9 innings of runs
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

<b>DAKTRONICS</b>	<b>AT BAT 41</b>		<b>BALL 2</b>		<b>STRIKE 1</b>		<b>OUT 1</b>		<b>DAKTRONICS</b>	
	1	2	3	4	5	6	7	8	9	<b>RUNS</b>
<b>GUEST</b>	1	0	0	0	0	1	0	0	0	2
<b>HOME</b>	0	0	2	0	1	3	0	0		6

### BA-2005 ● 8

Digit size: 18" 457mm, 15" 381mm  
H: 6'-6" 1981mm W: 20' 6096mm D: 8" 203mm

- › Showcase 9 innings of runs
- › Switch between current batter number or time with reversible caption panel

<b>DAKTRONICS</b>	<b>BALL 2</b>		<b>STRIKE 1</b>		<b>OUT 1</b>		<b>H/E 4</b>				
	1	2	3	4	5	6	7	8	<b>RUNS</b>	<b>HITS</b>	<b>ERR</b>
<b>GUEST</b>	1	0	0	0	0	1	0	0	2	4	1
<b>HOME</b>	0	0	2	0	1	3	0		6	12	0

### BA-2014 ● 8

Digit size: 18" 457mm, 15" 381mm  
H: 6'-6" 1981mm W: 20' 6096mm D: 8" 203mm

- › Showcase 8 innings of runs
- › Display cumulative hits and errors for each team

<b>DAKTRONICS</b>	<b>BALL 2</b>		<b>STRIKE 1</b>		<b>OUT 1</b>			
	1	2	3	4	5	6	7	<b>RUNS</b>
<b>GUEST</b>	1	0	0	0	0	1	0	2
<b>HOME</b>	0	0	2	0	1	3		6

### BA-2022 ● 8

Digit size: 15" 381mm  
H: 6'-6" 1981mm W: 16' 4877mm D: 8" 203mm

- › Showcase 7 innings of runs
- › Makes an ideal choice for your softball field




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

### TEAM SCORE WITH B/S/O DIGITS

Keep your fans informed of all the action with bold digits for innings, scores, balls, strikes and outs.

Humboldt High School | Humboldt, Iowa  
BA-1518, DA-1200




#### BA-1518

Digit size: 18" 457mm  
H: 8' 2438mm W: 16' 4877mm D: 8" 203mm

- › Score up to 19 innings
- › Record total Runs, Hits and Errors
- › Show which team is at the plate with At Bat indicators


#### PITCH COUNT TIME H/E



#### BA-2017

Digit size: 18" 457mm  
H: 6' 1829mm W: 14' 4267mm D: 8" 203mm

- › Score up to 19 innings
  - › Choose from At Bat, Hit/Error, Pitch Count or Time caption
- All Sport 1600/5000 required to display Pitch Count



#### BA-2010

Digit size: 18" 457mm  
H: 6' 1829mm W: 8' 2438mm D: 8" 203mm

- › Score up to 9 innings
- › Inform fans with Hit/Error indicators




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

Brownsburg Little League Brownsburg, Indiana  
BA-2718



## TEAM SCORE WITH B/S/O INDICATORS


Highly visible digits coupled with simple, circular indicators ensure everyone knows the score.



### BA-624

Digit size: 24" 610mm  
H: 6' 1829mm W: 16' 4877mm D: 8" 203mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › Ensure a great view from any seat with extra-large 24" digits




### BA-618

Digit size: 18" 457mm  
H: 5' 1524mm W: 14' 4267mm D: 8" 203mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › A compact alternative to the BA-624 with vital game stats on bold 18" digits

PITCH COUNT  
AT BAT  
H/E




### BA-2718

Digit size: 18" 457mm  
H: 5' 1524mm W: 10' 3048mm D: 8" 203mm

- › Score up to 9 innings
- › Keep time with a two-digit clock
- › Choose from At Bat, Hit/Error, Pitch Count or Time caption

All Sport 1600/5000 required to display Pitch Count



### BA-2618


Digit size: 18" 457mm  
H: 5' 1524mm W: 10' 3048mm D: 8" 203mm

- › Score up to 19 innings
- › Indicate Hit/Error
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face





CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS


TEAM SCORE WITH  
B/S/O INDICATORS  
(CONTINUED)



PITCH COUNT  
AT BAT  
H/E



Summer-Fredericksburg High School Summer, Iowa  
BA-2518, DA-1200



BA-2518  

Digit size: 18" 457mm  
H: 4' 1219mm W: 9' 2743mm D: 8" 203mm

- › Score up to 9 innings
- › Showcase essential game information with bold 18" digits

BA-2715  

Digit size: 15" 381mm  
H: 3' 914mm W: 9' 2743mm D: 8" 203mm

- › Track scores and up to 9 innings with 15" digits
  - › Keep time with a two-digit clock
  - › Choose from At Bat, Hit/Error, Pitch Count or Time caption
- All Sport 1600/5000 required to display Pitch Count

BA-2515  

Digit size: 15" 381mm  
H: 3' 914mm W: 6' 1829mm D: 8" 203mm

- › Track scores and up to 9 innings with 15" digits
- › A popular seller for smaller fields

HANDHELD CONTROLLER



The RC-100 places wireless control in the palm of your hand. Instantly update the scoreboard from across the field. Look for this icon to see if the scoreboard is compatible with the RC-100 handheld controller or refer to the scoreboard index.



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## MULTI-SPORT

Versatility and reliability combine into the best value for facilities hosting multiple sports.


Iowa Falls Legion Field Iowa Falls, Iowa  
MS-3918



### MS-918

Digit size: 18" 457mm, 15" 381mm  
H: 5' 1524mm W: 14' 4267mm D: 8" 203mm


- › Indicate Ball, Strike, Out and Hit/Error
- › Switch between Inning or Period with reversible caption panel



### MS-3918

Digit size: 18" 457mm  
H: 5' 1524mm W: 10' 3048mm D: 8" 203mm

- › Indicate Ball, Strike, Out and Hit/Error
- › Display time-of-day or game clock
- › Switch between Inning or Period with reversible caption panel



### MS-915

Digit size: 15" 381mm  
H: 4' 1219mm W: 8' 2438mm D: 8" 203mm

- › Display time-of-day or game clock
- › Switch between Inning or Period with reversible caption panel
- › Celebrate team spirit or recognize valued sponsors on the scoreboard face



Optional baseball captions shown

### MS-2113

Digit size: 8" 203mm  
H: 2'-10" 864mm W: 4'-4" 1321mm D: 8" 203mm

- › Score baseball with optional Ball, Strike and Out captions
- › Charge the internal batteries with smart charger for up to 14 hours of game play
- › Experience wireless freedom with RC-100 controller
- › Operates as a standalone scoring display





CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## ACCESSORIES

Showcase your pitching talent and complement your scoreboard with Daktronics pitch displays.



Schuylerville High School, Schuylerville, New York  
BA-2017, Solar power package



### PITCH COUNT

#### BA-2023

Digit size: 15" 381mm  
H: 2' 610mm W: 9' 2743mm D: 8" 203mm

- Record total pitches thrown for both teams

#### BA-2031

Digit size: 18" 457mm  
H: 2' 610mm W: 3' 914mm D: 8" 203mm

- Record total pitches thrown for the team currently pitching

### PITCH TIME

#### TI-2032

Digit size: 24" 610mm  
H: 2'-7" 787mm W: 7' 2134mm D: 8" 203mm

- Count down between two programmable time values for in between pitches or in between innings
- Select time-of-day mode for added functionality

### PITCH SPEED

#### TI-2010

Digit size: 18" 457mm  
H: 2' 610mm W: 3' 914mm D: 8" 203mm

- Count down game time with this two-digit clock
- Display speed of pitch to 99 MPH

### SOLAR POWER

Go green—and save some green—with solar power. In certain situations, it may be impractical for you to run electrical service to your scoreboard. The solar power kit uses one or two 40-watt solar panels, control box and batteries to provide 24V of renewable energy where you need it. Solar power performance varies depending on the current season and display location. Refer to the scoreboard index for scoreboards that may receive solar power, and ask a Daktronics representative if solar power is right for you.



Fort Laramie High School Fort Laramie, Ohio BB-2155, SD-2103

## BASKETBALL SCOREBOARDS

As fall turns into winter, basketball fans everywhere pull out their spirit wear to support their favorite teams. Complete the game-day experience with a Daktronics scoreboard, providing vital information such as Player Points, Fouls and Time Outs Left. Our add-ons help you create the best system to make an impact and fit your team's evolving needs.

- B** **LOGO/SPONSOR PANELS** Identify the facility and recognize sponsors
- S** **STRIPING** Choose from 50+ colors to outline your scoreboard
- HOME HOME** **CAPTION COLOR** Select from 50+ colors of vinyl captions
- Wi** **RADIO CONTROL** Increase control flexibility, reduce installation costs
- DOGS** **TEAM NAME CAPTION** Showcase a custom home team name
- TNMC** **TEAM NAME MESSAGE CENTERS (TNMC)** Personalize team names
- E** **ELECTRONIC CAPTIONS** Switch sports modes with the touch of a button
- MSG** **MESSAGE DISPLAYS** Boost excitement with vivid animations and stats
- ♣** **VIDEO DISPLAYS** Entertain and inform fans with live, full-color video
- PLYR** **STATISTICS DISPLAYS** Display additional information for active players
- E** **PANAVIEW® DIGITS** Offer a wide viewing angle
- B** **UNIVIEW® DIGITS** Achieve a clean, uniform bar look
- CS** **COLORSMART® DIGITS** Watch digit colors change with the game
- ACCENTS** Add detail and interest to the scoring display
- 🔊** **DAKTRONICS AUDIO** Bring superior sound quality to your facility
- BB** **DOUBLE BONUS INDICATORS** Indicate double-bonus situations
- 🛡️** **PROTECTIVE SCREENS** Protect the entire scoreboard
- 🛡️** **NETTING** Protect the entire display from ball impacts

## WHAT MAKES DAKTRONICS DIFFERENT?

### COLORSMART® SCOREBOARDS

Respond to the ever-changing events of the game with Daktronics patented ColorSmart® LED digit technology. Visually indicate the difference in team score by displaying each score in different colors. Illuminate the game clock in green while counting, red when stopped and amber when under one minute.



Look for this icon to know which scoreboards are upgradeable with ColorSmart color-changing LED digits.



### TUFF SPORT® SCOREBOARDS

For superior durability, look no further than Daktronics Tuff Sport® scoreboards. With load-distributing construction and 25% thicker aluminum, your Tuff Sport scoreboard will withstand hits from indoor, air-filled sport balls up to 40 miles per hour.



### WHITE LED DIGITS

Our white LED digit upgrade option creates a modern, fresh-looking display and complements any team color.

## INTEGRATING YOUR SYSTEM



### MESSAGE DISPLAYS

- › Showcase player stats and headshots
- › Advertise upcoming games and events
- › Generate revenue through sponsorships



### VIDEO DISPLAYS

- › Show live video, replays and profiles
- › Enhance classes by having students produce content
- › Generate sponsor revenue with advertising



### INDOOR AUDIO SYSTEMS

- › Overcome crowd noise with a single-point sound system
- › Identify your school on printable mesh
- › Achieve superior sound quality



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## MATRIX DISPLAY CENTERHUNG SCOREBOARDS

Pair a message display or video display with your centerhung scoreboard to create a dynamic focal point in your gymnasium.


Webb City High School | Webb City, Missouri  
BB-2146



Athlete headshot/stats



Sponsor recognition



BB-2146           

Digit size: 10" 254mm, 7" 178mm

H: 8'-8" 2642mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Show crowd prompts, exciting animations and statistical information
- › Message displays featured on four sides of a centerhung with choice of 6mm or 10mm resolution

BB-2147           

Digit size: 10" 254mm, 7" 178mm

H: 8'-8" 2642mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Show crowd prompts, exciting animations and statistical information
- › Message displays featured on two sides of a centerhung with choice of 6mm or 10mm resolution




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS


## ELECTRONIC CAPTION SCOREBOARDS

Quickly switch between sports with electronic captions. Display team and player fouls for basketball, sets won and match number for volleyball or points and weight class for wrestling.


Northern Virginia Community College Annandale, Virginia  
BB-2153



Basketball mode—optional TNMCs shown



Volleyball mode



Wrestling mode



BB-2156 centerhung model


### BB-2155

Digit size: 13" 330mm, 10" 254mm


BB-2155: H: 6' 1829mm W: 10' 3048mm D: 6" 152mm

BB-2156: H: 6'-2" 1880mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Count down the Time Outs Left (T.O.L.)
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



Optional TNMCs and T.O.L. digits shown



BB-2154 centerhung model

### BB-2153

Digit size: 13" 330mm, 10" 254mm, 7" 178mm

BB-2153: H: 6' 1829mm W: 8' 2438mm D: 6" 152mm

BB-2154: H: 6'-2" 1880mm W: 10'-10" 3302mm D: 10'-10" 3302mm

- › Track T.O.L. with optional 7" digits
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## TEAM STATISTICS SCOREBOARDS

Give your fans up-to-date team and player stats. Suspend a four-sided version of your scoreboard above the court for a great view of the action anywhere in the facility.

Port Townsend High School Port Townsend, Washington  
BB-3103, BB-3114



BB-2124 centerhung model


**BB-2123**

Digit size: 13" 330mm, 10" 254mm, 7" 178mm

**BB-2123:** H: 6' 1829mm W: 10' 3048mm D: 6" 152mm

**BB-2124:** H: 6'-2" 1880mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Count down the Time Outs Left (T.O.L.)
- › Display individual Player Points along with Fouls
- › Score numerous sports with optional caption kits
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2108 centerhung model


**BB-2107**

Digit size: 13" 330mm, 10" 254mm

**BB-2107:** H: 6' 1829mm W: 10' 3048mm D: 6" 152mm

**BB-2108:** H: 6'-2" 1880mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Count down the T.O.L.
- › Score volleyball and wrestling with included Score/Match captions
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels



BB-2126 centerhung model


**BB-2125**

Digit size: 10" 254mm, 7" 178mm

**BB-2125:** H: 4' 1219mm W: 10' 3048mm D: 6" 152mm

**BB-2126:** H: 4'-2" 1270mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Score volleyball and wrestling with included Score/Match captions
- › Showcase identical information to the BB-2107 in a more compact design



BB-2104 centerhung model

**BB-2103**

Digit size: 13" 330mm, 10" 254mm, 7" 178mm

**BB-2103:** H: 6' 1829mm W: 8' 2438mm D: 6" 152mm

**BB-2104:** H: 6'-2" 1880mm W: 10'-10" 3302mm D: 10'-10" 3302mm

- › Track T.O.L. with optional 7" digits
- › Score volleyball and wrestling with included Score/Match captions
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## TEAM SCORE SCOREBOARDS

Choose any model below for a great standalone scoreboard or as the perfect companion to a larger team statistics model.

Harrisburg High School Harrisburg, South Dakota  
BB-2102



BB-2106 centerhung model

**BB-2105** **ES**

**Digit size:** 13" 330mm, 10" 254mm

**BB-2105:** H: 4' 1219mm W: 10' 3048mm D: 6" 152mm

**BB-2106:** H: 4'-2" 1270mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- › Score up to 199 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels
- › Pair with BB-2123 or BB-2107




**BB-2121** **ES**

**Digit size:** 10" 254mm, 7" 178mm

**H:** 2'-6" 762mm **W:** 10' 3048mm **D:** 6" 152mm

- › Score up to 199 points
- › Condensed design for venues with lower ceilings
- › Pair with BB-2125



BB-2102 centerhung model

**BB-2101** **ES**

**Digit size:** 13" 330mm, 10" 254mm

**BB-2101:** H: 4' 1219mm W: 8' 2438mm D: 6" 152mm

**BB-2102:** H: 4'-2" 1270mm W: 10'-10" 3302mm D: 10'-10" 3302mm

- › Score up to 199 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels
- › Pair with BB-2103



**BB-2142** **ES**

**Digit size:** 10" 254mm, 7" 178mm

**H:** 3' 914mm **W:** 6'-6" 1981mm **D:** 6" 152mm

- › Score up to 99 points
- › Celebrate team spirit or recognize a valued sponsor on changeable corner panels




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## MODULAR SCOREBOARDS

Decide what stats you want to show and make an impact with a large modular scoreboard.

Lutcher High School Lutcher, Louisiana  
BB-2116




### BB-2116 & BB-2117



Digit size: 18" 457mm, 13" 330mm, 10" 254mm  
H: 7' 2134mm W: 14' 4267mm D: 6" 152mm

- › Count down the Time Outs Left (T.O.L.)
- › Display team and player Fouls as well as individual Player Points
- › Score numerous sports with optional caption kits



### BB-2116 & BB-2119



Digit size: 18" 457mm, 13" 330mm  
H: 7' 2134mm W: 14' 4267mm D: 6" 152mm

- › Count down the T.O.L.
- › Display team and player Fouls
- › Score volleyball and wrestling with included Score/Match captions



### BB-2116



Digit size: 18" 457mm, 13" 330mm  
H: 4' 1219mm W: 14' 4267mm D: 6" 152mm

- › Use as a primary display or combine with either of the above stats modules





CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## PORTABLE SCOREBOARDS

Follow the game wherever it may take you. Display all the vital game information for a wide number of sports.

McLean High School, McLean, Virginia  
ST-2001, ST-2005



### ST-2001

Digit size: 7" 178mm

H: 3'-0" 914mm W: 8'-5" 2565mm D: 3'-4" 1016mm

- › Provide a court-side scoring location for statisticians and game clock operators
- › Acts as a mat-side scoreboard for wrestling
- › Display game clock, team scores to 199, Period and double bonus on a portable scoreboard
- › Team score digits available in amber or red



### MS-2113

Digit size: 8" 203mm

H: 2'-10" 864mm W: 4'-4" 1321mm D: 8" 203mm

- › Display game clock, Period and scores to 99
- › Charge the internal batteries with smart charger for up to 14 hours of game play
- › Sound the internal buzzer horn at the end of each period
- › Experience wireless freedom with RC-100 controller
- › Operates as a standalone scoring display



### BB-2122

Digit size: 7" 178mm

H: 2' 610mm W: 4' 1219mm D: 6" 152mm

- › Display game clock, Period and scores to 99
- › Indicates possession and bonus
- › Keep the scoreboard portable or mount to a wall
- › Celebrate team spirit or recognize a valued sponsor on corner panels




CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

Puyallup High School, Puyallup, Washington  
BB-2107, SD-2102, BB-2114, DA-1500

## STATISTICS DISPLAYS


Track every player on the court for each team with electronic statistic displays.



SD-2103

PLYR	ACES	DIGS
PLYR	KILLS	DIGS
PLYR	PENALTY	
H/G	WEIGHT	

Optional caption panels also available



SD-2102  
Volleyball mode with included volleyball captions shown

SD-2103    


Digit size: 7" 178mm  
H: 6' 1829mm W: 4' 1219mm D: 6" 152mm

- › Showcase up to 6 players with 6 digits each
- › Score volleyball with included reversible caption

SD-2102    

Digit size: 7" 178mm  
H: 6' 1829mm W: 3'-6" 1067mm D: 6" 152mm

- › Showcase up to 6 players with 5 digits each
- › Score volleyball with included reversible caption



SD-2101



PN-2101

SD-2101    

Digit size: 7" 178mm  
H: 6' 1829mm W: 3'-6" 1067mm D: 6" 152mm

- › Showcase up to 5 players with 5 digits each

PN-2101    

Character Height: 3" 76mm  
H: 6' 1829mm W: 3' 914mm D: 6" 152mm

- › Showcase up to 15 player names and numbers on each side of the reversible face



Basketball



Hockey



Wrestling



Volleyball

Replace the vinyl captions on your statistic displays with optional electronic captions to quickly change to different sports.




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## GAME TIMERS AND INDICATORS

Count down every second of shot time, light up the court at the end of the period and more with Daktronics basketball timers.

Bonney Lake High School Bonney Lake, Washington  
BB-2101, BB-2114




BB-2115  
Two-sided model: BB-2109  
Three-sided model: BB-2111



BB-2114



TI-2103



TI-2031



BB-2135



BB-2133

### BB-2115

**Digit size:** 13" 330mm, 7" 178mm  
**H:** 2'-4" 711mm **W:** 2'-5" 737mm **D:** 6" 152mm

- › Display shot time and game time
- › Choose a multi-sided model to increase range

### BB-2114

**Digit size:** 13" 330mm  
**H:** 1'-7" 483mm **W:** 1'-10" 559mm **D:** 6" 152mm

- › Display shot time

### TI-2103

**Digit size:** 7" 178mm  
**H:** 1' 305mm **W:** 2'-5" 737mm **D:** 6" 152mm

- › Display game time
- › Choose between PanaView or UniView amber digits

### TI-2031

**Digit size:** 4" 102mm  
**H:** 8" 203mm **W:** 1'-3" 381mm  
**Surface mt D:** 3.25" 83mm **Flush mt D:** 1.375" 35mm

- › Show game time or time-of-day in locker rooms or hallways
- › Select from two mounting options

### END-OF-PERIOD LIGHTING

#### BB-2135

- › Highly visible LEDs light up the backboard

#### BB-2133

- › Double-sided LED indicator



Marion High School Marion, Illinois FB-2021, 108x198-20, SS-500HD, DA-1001

# FOOTBALL SCOREBOARDS

Trusted by high school football teams and collegiate teams alike, Daktronics offers the best lineup of products in the industry to design the most exciting game-day atmosphere for your fans and players. We'll help you create the best scoring system to fit your field starting with the main scoreboard that provides vital information such as Time Outs Left, Down, To Go and Quarter. As your program grows and scoring needs evolve, our integrated systems make it seamless to add on the perfect touches at your pace.

## ENDLESS OPTIONS


- b** **LOGO/SPONSOR PANELS** Identify the facility and recognize sponsors
- STRIPING** Choose from 50+ colors to outline your scoreboard
- CAPTION COLOR** Select from 50+ colors of vinyl captions
- RADIO CONTROL** Increase control flexibility, reduce installation costs
- TEAM NAME CAPTION** Showcase a custom home team name
- T.M.C.** **TEAM NAME MESSAGE CENTERS (T.M.C.)** Personalize team names
- B** **BACKLIT CAPTIONS** Improve readability for nighttime viewing
- E** **ELECTRONIC CAPTIONS** Switch sports modes with the touch of a button
- MSG** **MESSAGE DISPLAYS** Boost excitement with vivid animations and stats
- V.D.** **VIDEO DISPLAYS** Entertain and inform fans with live, full-color video
- RED PANAVIEW® DIGITS** Excellent digit readability
- AMBER PANAVIEW DIGITS** Complement school colors
- WHITE PANAVIEW DIGITS** Provide maximum brightness
- MIXED DIGIT COLORS** Vary the game and team digit colors
- ACCENTS** Add detail and interest to the scoring display
- DAKTRONICS AUDIO** Bring superior sound quality to your facility
- HORN** Trigger automatically or manually as needed
- INDIVIDUAL DIGIT SCREENS** Protect each digit
- NETTING** Protect the entire display from ball impacts
- SOLAR POWER** Power the scoreboard with solar energy

## WHAT MAKES DAKTRONICS DIFFERENT?



### WHITE LED DIGITS

Our white LED digit upgrade option creates a modern, fresh-looking display and complements any team color.



### SCOREBOARD CLAMPING

Eliminate the need to drill into steel or weld with our supplied aluminum clamp-style mounting brackets.



### WEATHER SEALED DIGITS

Weather-sealed digits and scoreboard drivers ensure durability and long life.

## INTEGRATING YOUR SYSTEM



### MESSAGE DISPLAYS

- › Showcase player stats and headshots
- › Advertise upcoming games and events
- › Generate revenue through sponsorships



### VIDEO DISPLAYS

- › Show live video, replays and profiles
- › Enhance classes by having students produce content
- › Generate sponsor revenue with advertising



### OUTDOOR AUDIO SYSTEMS

- › Experience the impact of a single-point sound system
- › Identify your school on printable mesh
- › Choose from standard sizes or custom

## MODULAR SCOREBOARDS

Build your personalized football scoring system by choosing from more than 80 clock, score and stat modules. Refer to the images below for a small sample of the endless possibilities.

Lima Senior High School, Lima, Ohio  
Modular scoreboards, 180x324-20, 48x160-20, SS-1500HD



	FB-2501	
FB-2563		FB-2603
18'-4" x 32'-9" 5588mm x 9982mm		
FB-2614		FB-2615

### SPLIT CONFIGURATION

Digit size: 30" 762mm, 24" 610mm  
H: 30'-3" 9220mm W: 33'-6" 10211mm D: 8" 203mm

- ▶ Showcase clock and scores above your video display with game stats below



	11'-2" x 19'-6" 3404mm x 5944mm	
FB-2532		FB-2572
FB-2533		FB-2573
FB-2624	FB-2504	FB-2625

### CLOCK UNDER CONFIGURATION

Digit size: 30" 762mm, 24" 610mm  
H: 15'-11" 4851mm W: 33'-10" 10312mm D: 8" 203mm

- ▶ Keep all the vital game information visible while showing live game footage, stats or sponsors



	FB-2501	
FB-2532	12'-4" x 15'-11" 3759mm x 4851mm	FB-2572
FB-2533		FB-2573
FB-2610		FB-2611

### CLOCK OVER CONFIGURATION

Digit size: 30" 762mm, 24" 610mm  
H: 15'-6" 4724mm W: 30'-3" 9220mm D: 8" 203mm

- ▶ Complete your scoring system with a game clock on top and scores/stats on the sides of a video display




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## TRACK TIMING TO 0.01 SECONDS


Provide all the essential game stats for football along with track timing to 1/100 of a second.

Rosemount High School Rosemount, Minnesota  
FB-2025, DA-1001



**FB-2027** **8 B E**  
Digit size: 30" 762mm, 24" 610mm, 18" 457mm  
H: 10' 3048mm W: 32' 9754mm D: 8" 203mm

- › Count down the Time Outs Left
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



**FB-2025** **8 B E**  
Digit size: 30" 762mm, 24" 610mm, 18" 457mm  
H: 8' 2438mm W: 32' 9754mm D: 8" 203mm


- › Count down the Time Outs Left
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



**MS-2027** **B E**  
Digit size: 24" 610mm, 18" 457mm  
H: 10' 3048mm W: 25' 7620mm D: 8" 203mm

- › Show possession with arrow indicators in football mode or penalty in lacrosse mode
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

Optional football captions shown



**FB-2023** **8 B E**  
Digit size: 30" 762mm, 24" 610mm, 18" 457mm  
H: 8' 2438mm W: 25' 7620mm D: 8" 203mm

- › Count down the Time Outs Left (T.O.L.)



**FB-2020** **8 B E**  
Digit size: 24" 610mm, 15" 381mm  
H: 8' 2438mm W: 18' 5486mm D: 8" 203mm

- › Display optional 15" T.O.L. digits or colorful team/sponsor graphics on changeable panels

Optional T.O.L. digits shown




CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS


## TRACK TIMING TO 0.1 SECONDS

Record down and distance for football games and time races to 1/10 of a second.

Sweet Home High School Sweet Home, Oregon  
FB-2019, DA-1001



Optional logo/sponsor panels shown



Optional logo/sponsor panels shown

FB-2022


Digit size: 30" 762mm, 24" 610mm, 18" 457mm  
H: 8' 2438mm W: 25' 7620mm D: 8" 203mm

- › Display optional 18" Time Outs Left (T.O.L.) digits or colorful team/sponsor graphics on changeable panels

FB-2019

Digit size: 24" 610mm, 15" 381mm  
H: 8' 2438mm W: 18' 5486mm D: 8" 203mm

- › Display optional 15" T.O.L. digits or colorful team/sponsor graphics on changeable panels



Football mode




Soccer mode



Track mode (event/heat)



Baseball mode (with clock)



Lacrosse/Field Hockey mode

## BACKLIT AND ELECTRONIC CAPTIONS

You can swap the vinyl captions for optional backlit or electronic captions on any football, soccer or multisport scoreboard with the following icons:

- › Select backlit captions (B) to increase night viewing
- › Select electronic captions (E) to easily switch between several sport modes



Look for this icon to see if the scoreboard is available with mixed digits. Display scores, possession and Time Outs Left with a different LED color.





CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

Reese High School Reese, Michigan  
FB-2018, DA-1001




## 4-DIGIT CLOCK


Choose any of the scoreboards below for a great addition to fields that do not host track events.



**FB-2028** **Digit size: 36" 914mm, 24" 610mm, 18" 457mm**  
**H: 10' 3048mm W: 36' 10973mm D: 8" 203mm**  
 › Create the focal point of your field with the largest standard football scoreboard



**FB-2026** **Digit size: 30" 762mm, 24" 610mm, 18" 457mm**  
**H: 10' 3048mm W: 32' 9754mm D: 8" 203mm**  
 › Count down the Time Outs Left  
 › Celebrate team spirit or recognize a valued sponsor on the scoreboard face




**FB-2024** **Digit size: 30" 762mm, 24" 610mm, 18" 457mm**  
**H: 8' 2438mm W: 32' 9754mm D: 8" 203mm**  
 › Count down the Time Outs Left  
 › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



Optional T.O.L. digits shown

**FB-2021** **Digit size: 30" 762mm, 24" 610mm, 18" 457mm**  
**H: 8' 2438mm W: 25' 7620mm D: 8" 203mm**  
 › Display optional 18" Time Outs Left (T.O.L.) digits or colorful team/sponsor graphics on changeable panels



Optional logo/sponsor panels shown


**FB-2018** **Digit size: 24" 610mm, 15" 381mm**  
**H: 8' 2438mm W: 18' 5486mm D: 8" 203mm**  
 › Display optional 15" T.O.L. digits or colorful team/sponsor graphics on changeable panels

 **CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS**

Lakewood High School, Lakewood, Colorado  
FB-4005



4-DIGIT CLOCK (CONTINUED)




**MS-2006**   
**Digit size:** 30" 762mm, 24" 610mm  
**H:** 6'-6" 1981mm **W:** 25' 7620mm **D:** 8" 203mm


- › Combine with an LED video or message display for a universal scoring solution on your multi-sport field



PERIOD  
HALF

**MS-2002**   
**Digit size:** 24" 610mm, 18" 457mm  
**H:** 4'-6" 1372mm **W:** 16' 4877mm **D:** 8" 203mm

- › Select Quarter, Period or Half caption for the primary sport, and use an optional reversible caption panel to change between 2 other sports



**FB-824**   
**Digit size:** 24" 610mm  
**H:** 4' 1219mm **W:** 14' 4267mm **D:** 8" 203mm

- › Indicate current quarter
- › Expand scoring ability with optional Period/Half reversible caption panel



**FB-4005**   
**Digit size:** 18" 457mm  
**H:** 5' 1524mm **W:** 10' 3048mm **D:** 8" 203mm

- › Display current down and distance to go
- › Score multiple sports with included Period caption panel
- › Sound the internal buzzer horn automatically or manually at the end of the quarter



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## TIMING AND PORTABLE DISPLAYS

Complement your overall scoring display and conduct practice sessions. Refer to pages 68–69 for additional football timing displays.

South Central Calhoun High School Lake City, Iowa  
FB-2019, TI-2003, DA-1200



### TI-2003

Digit size: 30" 762mm  
H: 3' 914mm W: 4' 1219mm D: 8" 203mm

- › Display Delay of Game, segment time or Shot time for lacrosse
- › Upgrade the display for portable use
- › Carry around the field with optional handle



### TI-2015

Digit size: 24" 610mm  
H: 2'-4" 711mm W: 3'-4" 1016mm D: 8" 203mm

- › Display Delay of Game, segment time or Shot time for lacrosse
- › Upgrade the display for portable use
- › Carry around the field with included handle



### TI-218

Digit size: 18" 457mm  
H: 2' 610mm W: 3' 914mm D: 8" 203mm

- › Display Delay of Game, segment time or Shot time for lacrosse
- › Upgrade the display for portable use
- › Carry around the field with optional handle



Segment timer mode with optional caption

### MS-2113

Digit size: 8" 203mm  
H: 2'-10" 864mm W: 4'-4" 1321mm D: 8" 203mm

- › Run practice sessions with internal buzzer horn and segment timer mode
- › Charge the internal batteries with smart charger for up to 14 hours of game play
- › Experience wireless freedom with RC-100 controller
- › Operates as a standalone scoring display




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## PLAYER/PENALTY SCOREBOARDS

Track critical game stats as well as up to 4 individual player penalty times. Indicate team penalty with optional LED arrows.

Orono Ice Arena, Orono, Minnesota  
H-2105



H-2105 centering model


### H-2104

Digit size: 10" 254mm, 7" 178mm

H-2104: H: 5' 1524mm W: 10' 3048mm D: 6" 152mm

H-2105: H: 5'-2" 1575mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- ▶ Track shots on goal for both teams
- ▶ Display player jersey number with penalty times
- ▶ Celebrate team spirit or recognize a valued sponsor on a changeable panel



H-2107 centering model


### H-2106

Digit size: 10" 254mm, 7" 178mm

H-2106: H: 5' 1524mm W: 10' 3048mm D: 6" 152mm

H-2107: H: 5'-2" 1575mm W: 12'-10" 3912mm D: 12'-10" 3912mm

- ▶ Display player jersey number with penalty times
- ▶ Celebrate team spirit or recognize a valued sponsor on a changeable panel



### H-2108

Digit size: 10" 254mm, 7" 178mm

H: 5' 1524mm W: 10' 3048mm D: 6" 152mm

- ▶ Celebrate team spirit or recognize a valued sponsor on a changeable panel




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## TEAM SCORE SCOREBOARDS

Display the game time, team score and period, or combine with modular scoreboards for added statistical capability and flexibility.


White Bear Lake Hockey Association White Bear Lake, Minnesota  
H-2101, H-2102 (2), H-2103 (2)



H-2101     

Digit size: 18" 457mm, 13" 330mm  
H: 4' 1219mm W: 14' 4267mm D: 6" 152mm

- › Make sure every fan has a view of the action with large digits



H-2112 centerhung model

H-2111     

Digit size: 13" 330mm, 10" 254mm  
H-2111: H: 4' 1219mm W: 8' 2438mm D: 6" 152mm  
H-2112: H: 4'-2" 1270mm W: 10'-10" 3302mm D: 10'-10" 3302mm

- › Celebrate team spirit or recognize a valued sponsor on a changeable panel



Pro model



Varsity model

## GOAL LIGHTS

Goal lights may be mounted to protective glass around the rink or to a 1" (25mm) pipe (not included). Press the goal judge switch to alert fans of each goal.

PRO MODEL 

H: 10" 254mm W: 2'-6" 762mm D: 7" 178mm

- › Signal goals with 2 rotating red beacons and indicate end-of-period with green lamp

VARSITY MODEL 


H: 10" 254mm W: 2'-6" 762mm D: 6" 152mm

- › Signal goals with red lamp and indicate end-of-period with green lamp





## MODULAR SCOREBOARDS

Mix and match hockey scoreboards and modules to create a custom display that suits your scoring needs.

Lakeville Ames Arena, Lakeville, Minnesota  
H-2101, H-2102 (2), H-2103 (2)




H-2101	
H-2102	H-2102




H-2101 & H-2102(x2)     

Digit size: 18" 457mm, 13" 330mm  
H: 8' 2438mm W: 14' 4267mm D: 6" 152mm

- ▶ Showcase up to 2 player penalty times from each team with their jersey numbers on the scoreboard



H-2103	H-2111	H-2103
H-2102	H-2102	






H-2111, H-2102(x2) & H-2103(x2)     

Digit size: 13" 330mm, 10" 254mm  
H: 8' 2438mm W: 14' 4267mm D: 6" 152mm

- ▶ Add shots on goal to each side of the scoreboard with player penalty times underneath
- ▶ Celebrate team spirit or recognize a valued sponsor on the scoreboard face



H-2103	H-2115	H-2111	H-2115	H-2103
--------	--------	--------	--------	--------

H-2111, H-2115(x2) & H-2103(x2)     

Digit size: 13" 330mm, 10" 254mm  
H: 4' 1219mm W: 22' 6706mm D: 6" 152mm

- ▶ Add penalty times to each side of the scoreboard with shots on goal arranged horizontally for low ceilings
- ▶ Celebrate team spirit or recognize a valued sponsor on the scoreboard face




CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

## MULTISPORT SCOREBOARDS

Showcase up to 2 player penalty times from each team with their jersey numbers for lacrosse/field hockey.


Southern High School Harwood, Maryland MS-2009



MS-2009 ✂ ✂ ⚽ ⚽

Digit size: 24" 610mm, 18" 457mm  
H: 10' 3048mm W: 25' 7620mm D: 8" 203mm


- › Score football or soccer with optional caption panels
- › Show penalty with arrow indicators
- › Increase visibility and functionality with optional backlit or electronic captions
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face
- › Six-digit clock model for track timing available (see page 37)



MS-2918 ✂ ✂ ⚽ ⚽

Digit size: 18" 457mm, 15" 381mm  
H: 8' 2438mm W: 16' 4877mm D: 8" 203mm

- › Score football or soccer with optional caption panels
- › Show penalty with arrow indicators
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



MS-2024 ✂ ✂ ⚽ ⚽

Digit size: 10" 254mm  
H: 6' 1829mm W: 10' 3048mm D: 8" 203mm

- › Display all the game and statistical information as on/like scoreboards more than twice the size
- › Show penalty with circular indicators




**CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS**

## TEAM STATISTICS SCOREBOARDS

Select a scoreboard that offers the soccer statistics you wish to display.

Whitman College Wala Wala, Washington  
SO-2043



### SO-2043

**Digit size:** 24" 610mm, 18" 457mm  
**H:** 8' 2438mm **W:** 25' 7620mm **D:** 8" 203mm

- › Give fans the most complete soccer display with Shots, Saves, Corner Kicks and Fouls for each team
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



### SO-2023

**Digit size:** 30" 762mm, 24" 610mm  
**H:** 8' 2438mm **W:** 25' 7620mm **D:** 8" 203mm


- › Display Shots and Corner Kicks (or Saves) for both teams
- › Time track events to 1/100 of a second
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



### SO-2021

**Digit size:** 30" 762mm, 24" 610mm  
**H:** 8' 2438mm **W:** 25' 7620mm **D:** 8" 203mm

- › Display Shots and Corner Kicks (or Saves) for both teams
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



### SO-2011

**Digit size:** 24" 610mm, 18" 457mm  
**H:** 7'-6" 2286mm **W:** 20' 6096mm **D:** 8" 203mm

- › Display Shots, Corner Kicks and Saves for both teams
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face





**CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS**

Academy of the Holy Cross Kensington, Maryland  
SO-2008, SS-500HD, DA-1008




**TEAM STATISTICS  
SCOREBOARDS  
(CONTINUED)**



**SO-2019**

**Digit size: 24"** 610mm  
**H: 8'** 2438mm **W: 18'** 5486mm **D: 8"** 203mm

- › Display Shots and Corner Kicks (or Saves) for both teams



**SO-2018**

**Digit size: 24"** 610mm  
**H: 8'** 2438mm **W: 18'** 5486mm **D: 8"** 203mm


- › Score baseball or football with extra digit and indicators
- › Display total Shots on Goal for each team
- › Celebrate team spirit or recognize a valued sponsor on changeable panels



**SO-2013**

**Digit size: 24"** 610mm, **18"** 457mm  
**H: 6'** 1829mm **W: 16'** 4877mm **D: 8"** 203mm

- › Display Shots and Corner Kicks (or Saves) for both teams



**SO-2008**

**Digit size: 18"** 457mm  
**H: 5'-6"** 1676mm **W: 16'** 4877mm **D: 8"** 203mm

- › Display total Shots for each team
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



**CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS**

Muncie Central High School - Muncie, Indiana  
SO-918, DA-1001



## TEAM SCORE SCOREBOARDS

Choose any model below to display vital game information with flexibility for multi-sport facilities.



**MS-2002**

**Digit size:** 24" 610mm, 18" 457mm  
**H:** 4'-6" 1372mm **W:** 16' 4877mm **D:** 8" 203mm


- › Select Half, Period or Quarter caption for the primary sport, and use an optional reversible caption panel to change between 2 other sports



**SO-918**

**Digit size:** 18" 457mm  
**H:** 4' 1219mm **W:** 12' 3658mm **D:** 8" 203mm

- › Score soccer or other sports with optional captions in place of Half



**SO-2918**

**Digit size:** 18" 457mm  
**H:** 5' 1524mm **W:** 10' 3048mm **D:** 8" 203mm

- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



Optional HALF/QTR caption shown

**MS-915**

**Digit size:** 15" 381mm  
**H:** 4' 1219mm **W:** 8' 2438mm **D:** 8" 203mm

- › Add an optional, reversible Half/QTR caption panel
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face



Optional HALF/INNING caption shown

**MS-2025**

**Digit size:** 10" 254mm  
**H:** 3'-6" 1067mm **W:** 6' 1829mm **D:** 8" 203mm

- › Add an optional, reversible Half/Inning caption panel
- › Celebrate team spirit or recognize a valued sponsor on the scoreboard face

## DISPLAYS & TIMING SYSTEMS

Keep track and field fans entertained with Daktronics LED message displays and timing systems.

Nevada High School - Nevada, Iowa  
162x288-20, SS-500HD, DA-1008



416x736-10

Men 800 Meter				0.0
1	D Salomon	USC	1:47.78	
2	Cochran	MSST	1:47.89	
3	R Brown	UWA	1:48.41	
4	S Smith	ORAL	1:48.91	
5	L Brooks	TXSA	1:49.17	
6	Y Kincaid	UTN	1:49.29	
7	K Smith	UNI	1:49.65	
8	D Ebron	AMDC	1:49.67	

80x160-20



### VIDEO DISPLAYS

- ▶ Showcase live video of each event as well as colorful animations and advertisements
- ▶ Select a size and resolution that complements your scoreboard or makes a complete timing display on its own
- ▶ Refer to pages 61–63 for more information on Daktronics video displays

### MESSAGE DISPLAYS

- ▶ Display vibrant animations and sponsor advertisements between events
- ▶ Select from single-color (monochrome) or full-color (RGB) displays in many sizes and resolutions
- ▶ Refer to pages 56–59 for more information on Daktronics message displays

### OMNISPORT® 2000e TIMING CONSOLE

- ▶ Select from 3 timing modes depending on the event: by lane, by place or by non-lane
- ▶ Time up to 8 lanes with the track button interface
- ▶ Print race results with built-in thermal printer
- ▶ Refer to page 67 for more information on the OmniSport® 2000e console

### THIRD-PARTY COMPATIBILITY

- ▶ Integrate your display with FinishLynx®, Omega™ and Flash Timing photo finish timing systems for instant, accurate race results
- ▶ Show start lists, full competitor names and team affiliations by interfacing with track meet management software



FinishLynx® System



Hy-Tek Meet Manger



CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

## PORTABLE TIMING DISPLAYS

Record the action from anywhere around the track with a portable timing display.



Running time



Competitor/Attempt



Imperial performance



Metric performance



Parkway North High School Saint Louis, Missouri  
FB-2021, 264x480-15, SS-1500HD, Arch ID



### TI-2021

Digit size: 10" 254mm  
H: 1'-6" 457mm W: 5'-4" 1626mm D: 6" 152mm

- › Select from 10 separate timing functions using the built-in controls
- › Display competitor and performance information for field events with optional controller

### TI-2020

Digit size: 10" 254mm  
H: 1'-2" 356mm W: 4'-8" 1422mm D: 6" 152mm

- › Select from 10 separate timing functions using the built-in controls

### TI-2022

Digit size: 7" 178mm  
H: 9" 229mm W: 2' 610mm D: 5" 127mm

- › Select from 9 separate timing functions using the built-in controls
- › Built-in rechargeable battery lets you take it wherever it's needed
- › Choose an indoor or outdoor model

## TRACK CAPTIONS

When you purchase any of the following scoreboards, track captions are included on changeable panels:

FB-2023 (shown), FB-2027, FB-2025, FB-2022, FB-2020, FB-2019, SO-2023




CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

Oregon State Fair & Expo Center Salem Oregon  
WR-2103



## SCOREBOARDS & STATISTICS DISPLAYS

Bring scores to the mat and get the most out of your versatile displays.



Two-sided model: WR-2102  
Three-sided model: WR-2103



Gymnastics mode  
optional event placards shown


Advantage time mode



Team score mode



Two-sided model: WR-2105  
Three-sided model: WR-2106



Optional wrestling captions shown



WR-2103 with WR-2106  
on optional tripod

### WR-2101



Digit size: 5" 127mm

WR-2101/WR-2102: H: 1'-9" 533mm W: 2' 610mm D: 7" 178mm

WR-2103: H: 1'-10" 559mm W: 2'-3" 686mm D: 2'-1" 635mm

- › Score basketball, volleyball and gymnastics with included captions
- › Provide the best view of the match with single-, double- and triple-sided configurations

### WR-2104



Digit size: 5" 127mm

WR-2104/WR-2105: H: 9" 229mm W: 2' 610mm D: 7" 178mm

WR-2106: H: 10" 254mm W: 2'-3" 686mm D: 2'-1" 635mm

- › Add this module to your wrestling scoreboard to display advantage time or team score
- › Set on a tabletop or stand right on the mat with optional tripod

### STATISTIC DISPLAYS

- › Display winners and points scored for up to 10 weight classes (on SD-2101, shown) or 12 weight classes (on SD-2102, SD-2102)
- › Swap the vinyl captions for optional electronic captions to quickly change to different sports



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## OUTDOOR TRUSS, CLOCKS AND DOMES

Enhance the appearance of any outdoor display with a decorative truss. Trusses are fully customizable with sheet metal graphics and lettering.


Bring a classic feel to your scoring system with an analog clock, or add a decorative center dome or arch to top off your scoreboard.

Stone Ridge School of the Sacred Heart, Bethesda, Maryland  
MS-2002, DA-1101, DA-1004



### DA-1001

- › Create visual interest with arch truss
- › Choose from 12 different lengths
- › Square truss also available



DA-1100 with DA-1004

### DA-1100

- › Add a traditional clock to any display
- › Choose from 3 different clock sizes



DA-1008 with SS-500HD

### DA-1008

- › Complement an SS-500HD audio cabinet with arch truss
- › Choose from 7 different lengths
- › Square truss also available



DA-1006 with SS-500HD

### DA-1006

- › Complement an SS-1500HD audio cabinet with arch truss
- › Choose from 7 different lengths
- › Square truss also available



### DA-1205

- › Get the most space for mascots, images and school/team names
- › Choose from 10 different lengths
- › Smaller domes available in the accent index



### ARCHED ID PANELS

- › Display team, school or facility name, or recognize valued sponsors
- › Choose from 9 different widths to fit popular outdoor scoreboard sizes



CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

## INDOOR TRUSS AND PIPING

Lightweight aluminum truss and piping provide yet another way of making your display your own. Vary the number, length and spacing of the decorative elements for endless combinations.

Central Springs High School | Manly, Iowa  
BB-2107, DA-1500



### DA-1500

- › Connect displays for a uniform structural appearance
- › Add a flourish above or below the display
- › Choose from a variety of lengths



### DA-1501

- › Frame the display or connect multiple pieces with diagonal truss
- › Get more space for team logos and lettering
- › Choose from a variety of lengths



### DA-1502


- › Frame the display or connect multiple pieces with cross truss
- › Get more space for team logos and lettering
- › Choose from a variety of lengths



**CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS**

For more information on Daktronics audio products visit [daktronics.com/audiobrochure](http://daktronics.com/audiobrochure)

**INDOOR  
SPORTSOUND®  
AUDIO SYSTEMS**



Wingate University, Wingate, North Carolina  
BB-2126, SSN-250



**SSN-250**

**H: 4'-7"** 1397mm \* **W: 3'-4"** 1016mm **D: 2'-11"** 889mm

The Sportsound® 250 indoor system provides audio for a variety of mid-sized, indoor gymnasiums. The single-point system can be mounted directly to the ceiling structure. This system's speakers can be adjusted horizontally or vertically. Positioned in the middle of a gymnasium, this sound system provides even coverage and overcomes crowd noise.

This system is available in either white or black speaker clusters.

\*Dimensions may change depending on speaker adjustment angles.

**SSN-150**

**H: 8'** 2438mm **W: 2'** 610mm **D: 1'-5"** 432mm

The Sportsound 150 indoor sound system provides audio for a variety of small, indoor gymnasiums. The single-point system is permanently wall-mounted with speakers adjusting horizontally and vertically. Durable sound cabinets protect internal speaker components from air-filled sport balls. Providing even coverage throughout the gymnasium, this sound system overcomes crowd noise.

This system is fully assembled when shipped, keeping installation time and costs to a minimum.





CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

OUTDOOR  
SPORTSOUND  
AUDIO SYSTEMS

Smith Cotton High School Sedalia, Missouri  
FB-2021, 126x216-20, SS-1500HD



SS-1500HD

H: 6' 1829mm W: 8' 2438mm D: 3'-6" 1067mm

The Sportsound 1500HD sound is suitable for outdoor facilities with an average max capacity of 8,000 fans. A step up from the 500HD model, the 1500HD has a broader coverage pattern and a higher decibel rating, better suited for longer throw venues. This system also works great in smaller facilities looking for that extra punch of sound. Both the speaker cabinet and control rack are fully assembled and ready to be installed right out of the box.



Multiple team logos



Sponsors



Animations

SSD-1500

H: 6' 1829mm W: 8' 2438mm D: 3'-6" 1067mm

Daktronics digital audio façade combines next generation ProPixel® Freeform LED Sticks and a SS-1500HD sound system for an exciting avenue to get fans pumped up and generate revenue by displaying crowd prompts and sponsor information. A retrofit kit for an existing SS-1500HD is available.

SS-500HD

H: 3' 914mm W: 8' 2438mm D: 3'-6" 1067mm

The Sportsound 500HD is designed to provide audio for a variety of outdoor facilities. The single-point system speakers adjust horizontally, providing even coverage and the ability to overcome crowd noise up to 15 rows high. This sound system provides intelligible speech and full range music for in game announcements, rich music and halftime events.

Internal components of the single speaker configurations can be adjusted. These adjustment options offer installation flexibility without compromising on aesthetics. Installation time is minimal thanks to being fully assembled when shipped.



INDOOR  
6MM & 10MM

Ozark High School, Ozark, Missouri  
160x224-10, SD-2102



The LEDs used for indoor message displays combine red, green and blue elements into one small package. Using a single package enables Daktronics to space LEDs extremely close to one another, forming displays with incredibly tight resolutions. Two popular display sizes are shown to the right.

## SPRINGFIELD HIGH SCHOOL



160x288 athlete headshot with BB-3107



128x288 player statistics with BB-3121

[Jump to the Matrix Display Index >](#)  
for all message display sizes.




**NON-SPORT APPLICATIONS**  
Use indoor message displays in lobbies, hallways or classrooms for announcements, scheduled content and promoting special events.

For more information on Daktronics marquees visit [daktronics.com/marqueebrochure](http://daktronics.com/marqueebrochure)

OUTDOOR MARQUEE  
15.85, 19.8 & 26.4MM

Kennett High School | Kennett, Missouri  
48x112x20



48x120

**ROADSIDE APPLICATIONS**

Our outdoor message displays can be installed along a road or in front of a school or facility to inform passersby of special announcements. These displays can also promote events and showcase your scheduled content.



48x100



32x100



North Callaway High School, Kingdom City, Missouri  
FB-2021, 80x19220, DA-1001



OUTDOOR  
15.85, 19.8 & 26.4MM



96x360 sponsor with FB-2024 and SS-1500HD

### CONNECTING AUDIO AND VISUAL

The best message display in the industry enables video with embedded audio to work hand-in-hand. You now have the ability to output the audio from your animations to your sound system, running these clips and audio as one.

 **CLICK ON SPACINGS**  
FOR TECHNICAL SPECIFICATIONS



96x240 athlete headshot with FB-2021 and SS-500HD

### CABINET SIZES HxW

FEET - INCHES	MILLIMETERS	15.85MM		19.8MM		26.4MM	
		ROWS	COLUMNS	ROWS	COLUMNS	ROWS	COLUMNS
6'-10" x 10'-11"	2057 x 3251	120x200	96x160	72x120			
6'-10" x 16'-2"	2057 x 4851	120x300	96x240	72x180			
6'-10" x 23'-11"	2057 x 7214	120x450	96x360	72x270			
7'-10" x 16'-2"	2388 x 4928	140x300	112x240	84x180			
7'-10" x 23'-11"	2388 x 7290	140x450	112x360	84x270			
8'-10" x 16'-2"	2692 x 4928	160x300	128x240	96x180			
8'-10" x 20'-0"	2692 x 6096	160x375	128x300	96x225			
8'-10" x 23'-11"	2692 x 7290	160x450	128x360	96x270			
9'-11" x 16'-2"	3023 x 4928	180x300	144x240	108x180			
9'-11" x 20'-0"	3023 x 6096	180x375	144x300	108x225			
9'-11" x 23'-11"	3023 x 7290	180x450	144x360	108x270			
12'-0" x 16'-2"	3658 x 4928	220x300	176x240	132x180			
12'-0" x 20'-0"	3658 x 6096	220x375	176x300	132x225			
12'-0" x 23'-11"	3658 x 7290	220x450	176x360	132x270			

### RADIO-CONTROLLED


If you are looking for a radio-controlled message display, there are additional sizes that would be a perfect fit for you. Other communications are available in this product line as well. See the AF-35XX on page 80, or contact your sales representative for more information.

OUTDOOR  
UNIVERSAL

Simley High School, Inver Grove Heights, Minnesota  
80x192-34, SS-500HD



144x300 football scoreboard



Animation

Track scoreboard

Soccer scoreboard

Large message displays work great as all-in-one scoring displays or when paired together with a traditional clock/score scoreboard for “hybrid” scoring.


**CUSTOMIZATION**

Standard scoreboard templates are easy to modify and allow for complete customization of game information and statistics—simply drag and drop. Showcase names of individual participants and play animations or sponsor messages in place of score to keep fans engaged.

**FLEXIBILITY**

Matrix, or “universal,” scoreboards are a flexible scoring solution because of their ability to display scores, statistics, announcements and advertisements. Use one scoreboard for multiple sports or events on a shared field. Changing between different modes is as easy as pressing a button.

HYBRID SCORING



96x360 track results with MS-2006



96x360 soccer stats with MS-2006



96x360 football stats with MS-2006




CLICK ON SCOREBOARDS FOR TECHNICAL SPECIFICATIONS

For more information on scorer's tables visit [daktronics.com/scorerstablebrochure](http://daktronics.com/scorerstablebrochure)

DURABLE COURTSIDE DISPLAYS

Tipton Middle School | Tipton, Iowa  
ST-2003




ST-2101 64x288




ST-2002/ST-2003



ST-2004/ST-2005



Side View



ST-2001 with possession indicator and light strip (see page 31)

ST-2101

H: 3'-1" 940mm W: 9'-9" 2972mm D: 3'-2" 965mm  
H: 3'-1" 940mm W: 19'-2" 5842mm D: 3'-2" 965mm

- › Display animations, advertisements and statistics
- › Control with Daktronics Show Control System

PIXEL SPACING	RESOLUTION	TABLES
10MM	64x288	1
	64x576	2
6MM	96x432	1
	96x864	2

ADVERTISING SCORER'S TABLES

H: 3'-0" 914mm D: 3'-4" 1016mm

- › Prominently display team and sponsor graphics right on the court

MODEL	BACKLIT	LENGTH
ST-2002	No	8'-0" 2438mm
ST-2003	Yes	
ST-2004	No	4'-0" 1219mm
ST-2005	Yes	

OPTIONS & ACCESSORIES

POSSESSION INDICATOR

- › Display which team has possession of the next jump ball

END-OF-PERIOD LIGHT STRIP

- › Highly visible light strip to indicate end-of-period

SIDE LOGO/SPONSOR AREA

- › Optional logo/sponsor area available on scorer's table's side padding

## VIDEO DISPLAYS ON THE RISE

Video displays are becoming a rising trend for schools everywhere. Daktronics has sold thousands of video displays; over 300 of these are placed in high schools.

San Angelo Independent School District  
456x816-15, SS-2000HD



“Our students have the opportunity to create slides in class and help run the board at all the events. Students like the challenge, the chance to be creative, and the reaction they get from students, staff, and fans at the events.”

Jeff Nix  
Ste. Genevieve High School  
Ste. Genevieve, MO

### REVENUE IMPACT

Generate revenue for your new video display or athletic program by showcasing advertisements for businesses in the community at any sporting event.

### CURRICULUM

Incorporate your video display in the classroom and provide students a new opportunity that can lead to future career interests. Students have the chance to create content for games and even run the video display equipment themselves.

## ALL VIDEO IS NOT THE SAME

All of our products start in the research and development stage. Last year, we spent over \$24,000,000 in research and product development to make sure our products remain the best in the industry.

### ACTUAL VIDEO DISPLAY COMPARISON WITH COMPETITOR



Daktronics high-contrast HD pixel layout



Competitor

Our video displays, even in direct sunlight, provide sharper contrast and superior brightness. Fewer LEDs and a darker display face provide more pronounced blacks, while custom-engineered LED louvers deflect the sun, improving color integrity.

## INDOOR VIDEO DISPLAYS

Create the focal point of your gymnasium with a Daktronics indoor video system. Display zoning and video overlays offer prime real estate to recognize sponsors and showcase in-depth game information. Popular video display sizes are shown below.

Ridgefield High School, Ridgefield, Washington  
BB-2103, 160x288-10, DA-1500



# CENTRAL A EAGLES

3:05			
EAGLES	PERIOD	TIGERS	
101	4	87	
FOULS	T.O.L.	PLAYER FOUL	T.O.L.
6	5	29	3
SCORE	MATCH		SCORE

**160x288-10**  
**BB-3107**

Combine a video display with a team statistics scoreboard and incorporate statistics software to provide an engaging game experience.

[Jump to the Matrix Display Index >](#)  
for all video display sizes.

**Gellert Realty**

EAGLES	3:05	TIGERS
101	4	87
FOULS	T.O.L.	PLAYER FOUL
6	5	29
SCORE	MATCH	

**UDIEU**  
**AUTOMOTIVE**

PLY	FL	PTS
3	1	10
11	0	5
20	1	11
30	0	15
44	3	9

PLY	FL	PTS
1	2	6
3	1	3
10	1	4
15	0	10
20	4	16

**336x576-6**  
**BB-3125**  
**SD-3103 @ 2**

Add a video display to your scoreboard and player statistics displays to complete the scoring system.



## OUTDOOR VIDEO DISPLAYS

Bring the big league to your backyard on a Daktronics outdoor video display. Use live and pre-recorded video, along with instant replays, to ensure everyone in the stands catches all the game action. Popular video display sizes are shown below.

Lake High School Uniontown, Ohio  
312x552-15, SS-1500HD, DA-1006



### 180x234-20

Modular football scoreboards

Personalize an outdoor scoring system by choosing the video display size that fits your facility. Then pick scoreboard modules that complement the video display.



[Jump to the Matrix Display Index >](#)  
for all video display sizes.



### 408x720-15

SS-1500HD  
DA-1000  
Arch identification panel

Use a video display with zoned content areas and a sound system that fits your facility to create a dynamic scoring option. Personalize even further with a square truss and arch ID panel.

"We are using the new video display in conjunction with the video engineering class at our high school. The students will operate and oversee the video production at each home football game."

Ken Paige  
Facilities Director  
Cartersville High School  
Cartersville, Georgia

# SHOW CONTROL SYSTEM

Daktronics Show Control System combines an easy-to-use display control interface with powerful content compositing, state-of-the-art playback hardware, cutting-edge image processing and dynamic live data integration to offer a complete set of powerful production tools all in one package for your video display.



## CREATE THE CONTENT

- › Click and type to add text
- › Upload athlete or sponsor images from your library
- › Arrange the text and images on screen with easy content layering

## STORYBOARD EDITOR

- › Quickly organize or rearrange content
- › Apply various graphic transitions between content



## ORGANIZE CONTENT

- › Group similar content pieces into a customized structure

## DISPLAY CONTENT

- › Click one button to instantly deliver content to the display
- › Control and edit the playlist of content in the playback queue



Multiple tabs to organize content

# VIDEO PRODUCTION SYSTEM

Further enhance the live video experience with this optional front-end upgrade.

## SPECIAL EFFECTS

- › Peels
- › Panning
- › Slow motion
- › Animated titles
- › Multiple video layers
- › 3D page curls
- › 3D rotation
- › Soft edges
- › Wipes





CLICK ON SCOREBOARDS  
FOR TECHNICAL SPECIFICATIONS

# ALL SPORT CONSOLES

Daktronics control consoles feature LCD screens to provide scoreboard operators with visual feedback. These All Sport® control consoles include a time-of-day display mode, 1/10 of a second timing, radio control to eliminate the need for signal wire and memory retention in case of power loss.

## ALL SPORT 5000/5500

**Weight:** 7 lb 3kg  
**H:** 4.25" 108mm **W:** 16.25" 413mm **D:** 9" 229mm

The All Sport 5000 and 5500 series controllers are versatile units designed for intermediate and large scoring systems. Both consoles have color-coded keys and a large backlit character display.

The All Sport 5500 is for controlling ColorSmart scoreboards and compatible stats displays and shot clocks.



## ALL SPORT 1600

**Weight:** 4 lb 2kg  
**H:** 4.25" 108mm **W:** 8.5" 216mm **D:** 9" 229mm

The All Sport 1600 series controllers are designed for basic scoring systems. Commonly used functions and a quick start guide are printed on the face of the controller.



## RC-100

**Weight:** 0.4 lb 0.2kg  
**H:** 4.7" 119mm **W:** 2.7" 69mm **D:** 1.2" 30mm

The RC-100 is a wireless device that controls many smaller displays. The handheld unit operates using a 900 MHz radio with an internal antenna and a rechargeable battery.



## RADIO COMMUNICATION

Radio control eliminates extra wiring from the All Sport® console to the scoreboard and saves money on installation costs.

Daktronics 2.4 Ghz spread spectrum radio has 500' (152m) line-of-sight signal range for indoor scoreboards and 1500' (457m) range for outdoor scoreboards. This option features five broadcast groups and 64 non-interfering channels. The multi-broadcast feature has great control flexibility, especially in multi-court facilities.

Battery packs and additional rugged console carrying cases are available.



## OMNISPORT® 2000e

**Weight:** 14 lb 6kg  
**H:** 4.25" 108mm **W:** 20.5" 521mm **D:** 9" 229mm

This timing console is the first in the industry to use Ethernet connectivity, which dramatically simplifies setup. Three backlit LCD screens indicate current race information, lane status and completed lengths for up to 10 lanes. The OmniSport® 2000 console has multiple modes, such as those for track timing, and memory retention in case of accidental loss of power.

For more information on aquatics timing options, see the Daktronics aquatics catalog or visit [Daktronics.com/aquaticsbrochure](http://Daktronics.com/aquaticsbrochure).

## REMOTE START/STOP

These handheld units are convenient and easy to use. The game clock remote manually starts and stops the game clock and sounds the horn. The shot/play clock remote is used for shot clocks in basketball and play clocks in football. It features a start/stop switch and buttons for two different reset times.



## CHARACTER GENERATOR

**Weight:** 0.4 lb 0.2kg  
**H:** 6" 152mm **W:** 4" 102mm **D:** 1" 25mm

The All Sport Character Generator (CG) is a lightweight portable device that allows coaches and athletes to get more from their game film. Real-time scoring data is recorded to game footage, improving the way games are evaluated and eliminating the frustration of having incomplete information on film.

### AVAILABLE SPORTS

- › Baseball
- › Basketball
- › Football
- › Hockey
- › Lacrosse
- › Soccer
- › Softball
- › Tennis
- › Volleyball
- › Wrestling

