



**SPECTRUM**  
INDUSTRIES INC. 

# AUDIO VISUAL FURNITURE

Every Setting. Every User.

# PIVOT PREMIER WORKSTATION™



## PIVOT PREMIER WORKSTATION™

Engage with elegance in any classroom, anywhere.

Equipment Rack Capacity  
6 rack units front and rear

Product  
55558

Worksurface Widths and Depth  
36", 48" or 60"W X 24"D

Heights  
28.5" - 42"H



- Sit-to-Stand (height adjustable)
- Ergonomic design
- eLift™ adjustable legs
- Available cutout for AV technology
- Easy technology integration
- Mobility with locking casters
- Quiet, fast raising and lowering
- ADA compliant
- Customizable logo panel
- Removable access panels
- Spectrum Expressions laminate color choices

### PIVOT PREMIER WORKSTATION™ ACCESSORIES

Companion Equipment Rack · CPU Sling · 6RU Rack Kit · Pull-Out Keyboard Tray · Twin Wheel Casters or Glides · Rechargeable Battery Pack System · EM Wireless Charging Pad · Power Module · Single and Dual Monitor Arms



## COMPANION EQUIPMENT RACK™

Join the movement from small lectern to student desk.

Dimensions  
24"W x 24"D x 33.9"H

Rack Units  
14RU

Product  
55559

- Additional 14RU available with optional Rear Rack Rail
- Durable steel chassis
- Ventilated side and bottom panels keep equipment cool
- Standard audience-side door with matching laminate insert panel
- Optional Acrylic instructor-side door provides additional security
- Mobility with locking casters
- 2" side grommets provide easy cord routing
- Spectrum Expressions laminate color choices

### COMPANION EQUIPMENT RACK™ ACCESSORIES

Acrylic Instructor-Side Door · Rear Rack Rail Kit

# FIXED-HEIGHT LECTERNS



## INSPIRATION PLUS LECTERN™

Compact yet ergonomic design for presentations in smaller spaces.

### Equipment Rack Capacity

36"H 15 rack units front, optional 15 rear

42"H 19 rack units front, optional 15 rear

### Dimensions

24"W X 28.75"D X 36" or 42"H

### Product

55411

- Sit-to-Stand
- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo door
- Spectrum Expressions laminate color choices
- Optional side table meets ADA Compliance standards



### INSPIRATION PLUS LECTERN™ ACCESSORIES

Rear Rack Rail (doubles rack-units) · Flip-Up Shelf Keyboard Tray · Locking Door Side Table · Single and Dual Monitor Arms · Toe Kick · Balloon Wheels or Glides · Universal Cord Reel Kit · Power Module



## SLIM LECTERN™

Simple, sleek, and integrator inspired.

### Equipment Rack Capacity

6 rack units front and rear

### Dimensions

24"W X 22.5"D X 45.7"H

Worksurface: 24"W (angled 10°) X 22"D

### Product

55152

- User-friendly angled worksurface
- Ergonomic design
- Optional Underbridge™ with Power Module
- 2" cable grommet on worksurface
- Significant cable management
- Easy technology and AV integration
- Available with glides or casters
- Optional ventilated Locking Door
- Customizable logo panel
- Removable audience-side panel
- Spectrum Expressions laminate color choices

### SLIM LECTERN™ ACCESSORIES

Logo Panel · Shelf · Underbridge Panel · Blank · Underbridge Panel & Power Module · Rack Cube (6RU front and rear) · Locking Door

# FIXED-HEIGHT LECTERNS (continued)



## DIRECTOR LECTERN™

Integrators: Achieve your AV goals with huge capacity and easy access.

Equipment Rack Capacity  
13 rack units front and rear

Dimensions  
46"W X 28.5"D X 41"H

Product  
55213

- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo panel
- Removable access panels
- Spectrum Expressions laminate color choices

DIRECTOR LECTERN™ ACCESSORIES \_\_\_\_\_  
13RU or 15RU Rack Cube · Toe Kick Kit · Flip-Up Shelf · Power Module · Keyboard Tray · EM Wireless Charging Pad · Cooling Fan Universal Cord Reel Kit · Security Panel · Single and Dual Monitor Arms



## ELITE LECTERN™

Perfect for the media-intensive needs of higher education.

Equipment Rack Capacity  
12 rack units front and rear

Dimensions  
38"W X 28.5"D X 41"H

Product  
55153

- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo panel
- Removable access panels
- Spectrum Expressions laminate color choices

ELITE LECTERN™ ACCESSORIES \_\_\_\_\_  
12RU Rack Cube · 2RU Rack Rail Kit · Toe Kick Kit · Flip-Up Shelf · Pull Out Drawer · Power Module · Single and Dual Monitor Arms · Keyboard Tray · EM Wireless Charging Pad · Cooling Fan · Universal Cord Reel Kit



## LINK LECTERN™

Space saving and rich in features.

Equipment Rack Capacity  
36"H 12 rack units front and rear  
41"H 15 rack units front and rear

Dimensions  
32"W X 28.5"D X 36" or 41"H

Product  
55115

- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo panel
- Removable access panels
- Spectrum Expressions laminate color choices

LINK LECTERN™ ACCESSORIES \_\_\_\_\_  
Rack Cube · Toe Kick Kit · Flip-Up Shelf · Power Module · Single and Dual Monitor Arms · Keyboard Tray · EM Wireless Charging Pad · Cooling Fan · Universal Cord Reel Kit



## COMPACT LECTERN™

Stylish, compact, and easy to integrate.

Equipment Rack Capacity  
16 rack units front and rear

Dimensions  
32"W X 24"D X 41"H

Product  
55212

- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo panel
- Removable access panels
- Spectrum Expressions laminate color choices

COMPACT LECTERN™ ACCESSORIES \_\_\_\_\_  
Rack Cube · Toe Kick Kit · Flip-Up Shelf · Power Module · Single and Dual Monitor Arms · Keyboard Tray · EM Wireless Charging Pad · Cooling Fan · Universal Cord Reel Kit



## CORE LECTERN™

Straightforward design with quick, simple integration and deployment.

Equipment Rack Capacity  
12 rack units front

Dimensions  
33.5"W X 29"D X 39"H

Product  
55548-55550

- Durable ventilated steel CORE chassis
- Ergonomic design
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Customizable logo panel
- Removable access panel
- Laminate outer panels come in Spectrum Expressions color choices
- Quick-ship CORE for rapid integration

CORE LECTERN™ ACCESSORIES \_\_\_\_\_  
Flip-Up Shelf · Customized Logo Panel · Single and Dual Monitor Arms · 7-Outlet Power Strip · Power Module · EM Wireless Charging Pad · Cantilever Shelves · Pull-Out Shelves · Locking Drawers · 9-Outlet Power Strip · Single Fan · Double Fan · Wire Lace Kit · Rack-Mount Blanks

# HEIGHT-ADJUSTABLE ELIFT™ LECTERNS



## FREEDOM XRS ELITE LECTERN™

Instructor preferred, integrator inspired, designer approved.

Equipment Rack Capacity  
14 rack units front, 9 rack units rear

Product  
55418

Dimensions  
62"W X 30"D X 32"- 40"H



- Sit-to-Stand (height adjustable)
- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Quiet, fast raising and lowering
- ADA compliant
- Customizable logo panel
- Spectrum Expressions laminate color choices

FREEDOM XRS ELITE LECTERN™ ACCESSORIES \_\_\_\_\_  
Rack Cabinet · Flip-Up Shelf · Keyboard Tray · Power Module · Single and Dual Monitor Arms · EM Wireless Charging Pad



## HONORS LECTERN™

Customer-inspired design with all the right features.

Equipment Rack Capacity  
12 rack units front and rear

Product  
55178

Dimensions  
38"W X 30"D X 34"- 42"H

- Height adjustable
- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Quiet, fast raising and lowering
- Customizable logo panel(s)
- Removable access panels
- Spectrum Expressions laminate color choices

HONORS LECTERN™ ACCESSORIES \_\_\_\_\_  
12RU Rack Cube · Flip-Up Shelf · Power Module · Single and Dual Monitor Arms · EM Wireless Charging Pad



## FREEDOM ONE ELIFT LECTERN™

The perfect height for any person, any environment.

Equipment Rack Capacity  
32"H 14 rack units front and rear  
39"H 18 rack units front and rear

Lectern Dimensions  
36"W X 30"D X 28.5"- 42"H



Product  
55542

- Sit-to-Stand (height adjustable)
- Durable ventilated steel chassis
- Ergonomic design
- Available Overbridge Control Console™
- Standard cutout for AV Technology (OB only)
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Quiet, fast raising and lowering
- ADA compliant
- Customizable logo panel
- Spectrum Expressions laminate color choices

FREEDOM ONE ELIFT LECTERN™ ACCESSORIES \_\_\_\_\_  
32" or 39" Equipment Rack · Solid or Acrylic Equipment Rack Door · Flip-Up Shelf · Keyboard Tray · Unit-to-Unit Connector · Twin Wheel Casters or Glides Single and Dual Monitor Arms · Rechargeable Battery Pack System · EM Wireless Charging Pad



## FREEDOM ONE SIT-TO-STAND LECTERN™

Easily adjusts to the perfect height for any instructor.

Equipment Rack Capacity  
18 rack units front and rear

Dimensions  
34"W X 30"D X 30"- 42"H



Product  
55355

- Sit-to-Stand (manual height adjustable)
- Durable ventilated steel chassis
- Ergonomic design
- Includes surround on worksurface
- Easy technology and AV integration
- Superior chimney-effect ventilation
- Mobility with locking casters
- Lockable, secure
- Smooth, easy lift mechanism with pneumatic spring and mechanical release
- ADA compliant
- Customizable logo panel
- Spectrum Expressions laminate color choices

FREEDOM ONE SIT-TO-STAND LECTERN™ ACCESSORIES \_\_\_\_\_  
Equipment Rack · Keyboard Tray · Unit-to-Unit Kit · Solid Locking Door · Clear Acrylic Locking Door · Flip-Up Shelf · Summit Monitor Arms · Titan Monitor Arms



## ADJUSTABLE HEIGHT SLIM LECTERN™

AV-ready, go-anywhere lectern that is ideal for small spaces.

Equipment Rack Capacity  
6 rack units front and rear

Dimensions  
Worksurface: 24"W (angled 10°) X 22"D  
Width and Depth: 24"W X 22.5"D  
Height: Casters: 40.9"- 50.9"  
Glides: 38.9"- 48.9"H

Product  
55544

- Height adjustable
- User-friendly angled worksurface
- Ergonomic design
- Optional Underbridge™ with Power Module
- 2" cable grommet on worksurface
- Easy technology and AV integration
- Available with glides or casters
- Optional ventilated Locking Door
- Quiet, quick raising and lowering
- Customizable logo panel
- Removable audience-side panel
- Spectrum Expressions laminate color choices

ADJUSTABLE HEIGHT SLIM LECTERN™ ACCESSORIES \_\_\_\_\_  
Logo Panel · Shelf · Underbridge Panel · Blank · Underbridge Panel & Power Module · Rack Cube (6RU front and rear) · Locking Door



### INSTRUCTOR MEDIA CONSOLE™

Modular system for designing a flexible, ergonomic workstation.

Equipment Rack Capacity  
14RU - 29"H Equipment Rack  
18RU - 36"H Equipment Rack

Worksurface Heights  
29" or 36"

Product  
See photos and chart  
for details

Worksurface Dimensions  
Radius corner: 36.05"W x 36.05"D  
Single: 21.19"W x 30"D  
Double: 42.38"W x 30"D  
Triple: 63.56"W x 30"D

- Modular design
- Available in two heights
- Durable ventilated steel side panels in Equipment Racks
- Rack rail equipment mounting in Equipment Racks
- Ergonomic design
- Worksurface grommet holes with caps
- Easy technology and AV integration
- Leveling glides for uneven floors
- Optional, lockable front and rear access doors for Equipment Racks
- Scratch and impact-resistant high-pressure laminate worksurface

#### INSTRUCTOR MEDIA CONSOLE™ ACCESSORIES

Rack Mount Cantilever Shelves · Rack Mount Pull-Out Shelves · Rack Mount Fan-Double · Rack Mount Fan-Single · Rack Mount Blanks, 1RU, 2RU, 3RU, or 4RU · LT4 Rack Rail Storage Option · Rack Mount Drawers · Visit website for more options

### CONSOLE #1

Product  
68020 (29"H), 68021 (36"H)

QTY	DESCRIPTION
1	Triple Worksurface
1	Equipment Rack
2	Wall Filler Panel
1	End-Support Leg

### CONSOLE #2

Product  
68022 (29"H), 68023 (36"H)

QTY	DESCRIPTION
1	Radius Corner
1	Double Worksurface
1	Single Worksurface
2	Equipment Rack
1	Wall Filler Panel

### CONSOLE #3

Product  
68024 (29"H), 68025 (36"H)

QTY	DESCRIPTION
1	Radius Corner
2	Double Worksurface
2	Equipment Rack
2	Wall Filler Panel

### CONSOLE #4

Product  
68026 (29"H), 68027 (36"H)

QTY	DESCRIPTION
1	Radius Corner
1	Triple Worksurface
1	Single Worksurface
2	Equipment Rack
2	Wall Filler Panel
1	Mid-Support Leg

### CONSOLE #5

Product  
68028 (29"H), 68029 (36"H)

QTY	DESCRIPTION
1	Single Worksurface
1	Equipment Rack

### CONSOLE #6

Product  
68030 (36"H)

QTY	DESCRIPTION
1	Triple Worksurface
1	Single Worksurface
1	29" Equipment Rack
2	29" Wall Filler Panel
1	36" Equipment Rack
1	Stepped-Height Bracket

	Product Number	Description	Dimensions
	68156	36" H Radius Corner	36"W x 36"D x 36"H
	68106	29" H Radius Corner	36"W x 36"D x 29"H
	68202	Triple Worksurface	63.56"W x 30"D x 1"H
	68201	Double Worksurface	42.38"W x 30"D x 1"H
	68200	Single Worksurface	21.19"W x 30"D x 1"H
	68157	36" Equipment Rack	21.19"W x 30"D x 36"H
	68107	29" Equipment Rack	21.19"W x 30"D x 29"H
	68151	36" Wall Filler Panel	21.19"W x 1"D x 36"H
	68101	29" Wall Filler Panel	21.19"W x 1"D x 29"H
	68155	36" End-Support Leg	1"W x 30"D x 36"H
	68105	29" End-Support Leg	1"W x 30"D x 29"H
	68154	36" Mid-Support Leg	1"W x 24"D x 28"H
	68104	29" Mid-Support Leg	1"W x 24"D x 21"H

\*Consoles shown with optional equipment rack doors.



# ACCESSORIES

Spectrum lecterns are designed for optimization. Popular accessories makes them easily configured to your presentation style.

## Monitor Arms and Bases



### Titan Dual Monitor Arm

See website for details.



### Titan Single Monitor Arm

See website for details.



### Titan Base Extension

Provides a 6" boost to your Titan Monitor Arm; Black only

### 95535B - 6" Extender Tube

Fits between the mount and arm to add height



### Summit 2233 Single Monitor Arms

See website for details.

### 95539 - Summit 2233 Single Monitor Arm

95540 - Summit 2233 Single Monitor Arm with USB and Multimedia Ports

## Electrical Options



### Retractable Cord Reel

Use as much, or as little cord as you need for convenient power without extra cord clutter; UL Listed

### 99029 - 15' Retractable Cord Reel

Includes easy-to-use locking reel. Fits on Media Director Lectern only.

### 99037 - 15' Universal Retractable Cord Reel Kit

Includes universal mounting bracket. Fits on Media Manager Elite, LINK Lectern, and Inspiration Lectern.



### Power Module

Flush mount power and charging solution (2 AC, 2 USB) provides convenience while saving space; UL Listed

99058 - Black, Silver or White



### Rack Mount Power Strip

Specifically designed for rack rail applications; UL Listed

### 99021 - 9-outlet Rack Mount Power Strip uses 1 rack unit

19"W x 9"D x 1.75"H, 9' power cord. 15-amp, 168 joules capacity, UL Listed, with an illuminated power switch. Eight circuit breaker-protected outlets in back, one convenient outlet in front.



### 7-Outlet Power Strip

7 total outlets; diagnostic LED lights; Surge Suppressor; \$25,000 connected equipment warranty through manufacturer; UL-listed

### 99024 - 7-Outlet Power Strip



### Titan USB Kit

Convenient access to charge and power all of your USB-enabled devices

### 95534 - Titan USB Kit

(4) USB 3.1 ports



### EM Wireless Charging Pad

Flush mount, electromagnetic charging solution; UL Listed

### 99057 - Black

Qi V1.2 compliant IC devices ("Qi" enabled); LED to confirm pairing / charging

## Rack Mount Accessories



### Rack Mount Cantilever Shelves

Simple and convenient shelving

### 97502 - Rack Mount Cantilever Shelf

80 lb capacity. Uses 3 rack units. 17.5"W x 18"D x 5.25"H

### 97504B - Rack Mount Cantilever Shelf

50 lb capacity. Uses 2 rack units. 17.5"W x 18"D x 3.5"H



### Rack Mount Blanks

Neatly cover gaps between rack mount equipment

### 97510B - 1 Rack Unit

### 97511B - 2 Rack Unit

### 97512B - 3 Rack Unit

### 97513B - 4 Rack Unit



### Wire Lace Kit

Mounts directly to rack rail and holds wires to straps for better cord management

### 95517B - Wire Lace Kit



### Rack Mount Power Strip

Specifically designed for rack rail applications; UL Listed

### 99021 - 9-outlet Rack Mount Power Strip uses 1 rack unit

19"W x 9"D x 1.75"H, 9' power cord. 15-amp, 168 joules capacity, UL Listed, with an illuminated power switch. Eight circuit breaker-protected outlets in back, one convenient outlet in front.



### Rack Mount Pull-Out Shelves

Easy device access and management

### 97503 - Rack Mount Pull-out Shelf

80 lb capacity. Uses 3 rack units. 16.5"W x 21.75"D: fits most Spectrum products with rack rail

### 97505B - Rack Mount Pull-out Shelf

50 lb capacity. Uses 2 rack units. 16.5"W x 17.75"D: shorter to fit Inspiration Lectern.



### Rack Mount Locking Drawers

Perfect for any of your small storage needs

### 97526 - 3 Rack Unit Rack Mount Locking Drawer

50 lb capacity. 15.94"W x 14.5"D x 5.25"H

### 97527 - 2 Rack Unit Rack Mount Locking Drawer

50 lb capacity. 19"W x 15.85"D x 3.5"H



### Rack Mount Fans

Long-life fans quietly dissipate excess heat from valuable equipment; UL Listed

### 97506B - Double Fan

Uses 3 rack units and operates at less than 33 db. Two 6' power cords. 19"W x 5.25"H

### 97507B - Single Fan

Uses 3 rack units and operates at less than 30 db. 6' power cord. 19"W x 5.25"H



COLLABORATIVE TABLES



MOBILE DEVICE CARTS



INTEGRATED LECTERNS



FLEXIBLE SEATING



MULTI-PURPOSE DESKS



LEARNING / TRAINING TABLES

**SPECTRUM**  
**INDUSTRIES INC.**   
QUALITY SOLUTIONS by design

AV-100 111422

1500 River Street, Chippewa Falls, Wisconsin 54729 | 800-235-1262 | 715-723-6750 | [SPECTRUMFURNITURE.COM](http://SPECTRUMFURNITURE.COM)



Learn more about how to achieve ADA Compliance  
in any space with our ADA Guidebook.

Scan the QR code to download your copy now →

Look for the "Meets ADA Standards" logo on our website  
for ADA compliant products.

