


10/8/2012

T5 Linear Fluorescent Lamp
54 Watt / 85 CRI / 3500K
HIGH OUTPUT

Project:	
Catalog#:	
Approved by:	



Ordering Information


Howard Catalog Number (Ordering Code)	F54T5/835/HO
UPC Code	01570
Description	T5 High Output Linear Fluorescent
Package Quantity	25

Physical Characteristics

Base	Mini Bipin (G5)
Bulb Type	T5 (5/8 inch)
Bulb Description	Tubular Fluorescent Lamp
Nominal Length	46
Base face to base face (Amax) (in)	45.24
Base face to end of opposite base pin (Bmin/Bmax) (in)	45.42/45.52
End of base pin to end of the opposite pin end (C) (in)	45.79

Operating Characteristics

Nominal Wattage	54
Approximate Initial Lumen (lm)	5000
Approximate Mean Lumen (lm)	4950
Average Rated Life (hours)	30000
Color Temperature (K)	3500
Color Rendering Index (CRI)	85



Note: Rated lamp life is 30,000 hours based on 3 hours per start. Lamp life will be affected when using occupancy sensors, dimmers, or dimming systems. These products are low-mercury fluorescent lamps and pass the Federal TCLP for hazardous waste. Disposal regulations may vary; check local and state regulations.

Specifications subject to change without notice.